



US00D582839S

(12) **United States Design Patent**  
**Lee et al.**

(10) **Patent No.:** **US D582,839 S**  
(45) **Date of Patent:** **\*\* Dec. 16, 2008**

(54) **AUTOMOBILE TIRE**

(75) Inventors: **Jae moon Lee**, Busan-si (KR); **Seung il Choi**, Yangsan-si (KR)

(73) Assignee: **Nexen Tire Co., Ltd.**,  
Gyeongsangnam-do (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/275,917**

(22) Filed: **Jan. 10, 2007**

(30) **Foreign Application Priority Data**

Nov. 6, 2006 (KR) ..... 30-2006-0044168

(51) **LOC (8) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/530**

(58) **Field of Classification Search** ..... D12/501,  
D12/505-532; 152/209.1, 209.8, 209.9  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D481,004 S \* 10/2003 O ..... D12/518

D522,442 S \* 6/2006 Shirouzu ..... D12/515

\* cited by examiner

*Primary Examiner*—Robert M. Spear

*Assistant Examiner*—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Hoffmann & Baron, LLP

(57) **CLAIM**

The ornamental design for an automobile tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an automobile tire showing the new design;

FIG. 2 is a front view of the automobile tire shown in FIG. 1, it being understood that the pattern repeats uniformly throughout the circumference of the tire;

FIG. 3 is a rear view of the automobile tire shown in FIG. 1;

FIG. 4 is a left side view of the automobile tire shown in FIG. 1;

FIG. 5 is a right side view of the automobile tire shown FIG. 1; and,

FIG. 6 is an enlarged view showing a portion of the automobile tire shown in FIG. 2.

**1 Claim, 6 Drawing Sheets**






Fig. 1






Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6

