



US00D582898S

(12) **United States Design Patent**
Nam et al.

(10) **Patent No.:** **US D582,898 S**

(45) **Date of Patent:** **** Dec. 16, 2008**

(54) **EARPIECE SHIELD**

(75) Inventors: **Youjin Nam**, Hoboken, NJ (US); **Yves Behar**, Oakland, CA (US); **Alexander Asseily**, London (GB); **Hosain S. Rahman**, San Francisco, CA (US)

(73) Assignee: **AliphCom, Inc.**, San Francisco, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/299,135**

(22) Filed: **Dec. 19, 2007**

(51) **LOC (8) Cl.** **14-01**

(52) **U.S. Cl.** **D14/223**

(58) **Field of Classification Search** D14/188, D14/192, 209, 210, 205, 206, 223, 221, 242, D14/243; D24/174; D26/74; 181/150, 129-130, 181/164; 379/430, 433.11, 420.01, 420.02, 379/420.03; 381/370, 375, 379, 380, 381, 381/369, 356; 455/575.1, 575.2, 569.2; 407/29.1, 407/29.11; D7/678, 668, 673; 241/273.1; 76/116; 451/514, 526

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,466,391 A * 8/1923 Eskew et al. 407/29.11
1,649,703 A * 11/1927 Johnston 407/29.1
2,663,070 A * 12/1953 Bennett 407/29.1
3,273,662 A * 9/1966 Roberts 118/147
D215,853 S * 11/1969 La Zar et al. D14/212
4,028,781 A * 6/1977 Konrad 407/29.11
D255,234 S * 6/1980 Wellward et al. D14/209

D259,786 S * 7/1981 Leeson et al. D14/242
D261,759 S * 11/1981 Hata D14/210
D269,869 S * 7/1983 Matsubara D14/210
D279,183 S * 6/1985 Yoshikawa D14/215
4,832,150 A * 5/1989 Just et al. 181/175
D356,089 S * 3/1995 Hedaya D14/219
5,991,646 A * 11/1999 Frank et al. 455/569.2
D457,513 S * 5/2002 Pirelli et al. D14/223
D459,160 S * 6/2002 Monier D7/678
D467,473 S * 12/2002 Kerr D7/678
6,560,344 B1 * 5/2003 Julstrom et al. 381/356
D483,898 S * 12/2003 Murphy D26/93
D497,610 S * 10/2004 Graber D14/214
D516,059 S * 2/2006 Murphy D14/211
D519,495 S * 4/2006 Lum D14/221
7,106,876 B2 * 9/2006 Santiago 381/369

* cited by examiner

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Courtney Staniford & Gregory LLP

(57) **CLAIM**

The ornamental design for an earpiece shield, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an earpiece shield of the design;

FIG. 2 is an inside thereof;


FIG. 3 is an outside view thereof;

FIG. 4 is a side view thereof;

FIG. 5 is a rear view thereof; and,

FIG. 6 is a front view thereof.

1 Claim, 2 Drawing Sheets






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6