



US00D582915S

(12) **United States Design Patent**
Leung

(10) **Patent No.:** **US D582,915 S**
(45) **Date of Patent:** **** Dec. 16, 2008**

(54) **USB MEMORY WITH LASER POINTER AND REMOTE CONTROL**

7,375,494 B2 * 5/2008 Daniel et al. 320/112
2004/0233629 A1 * 11/2004 Wang et al. 361/684

(75) Inventor: **Chun Fai Leung**, Hong Kong (CN)

(73) Assignee: **Sweda Limited**, Kowloon (HK)

(**) Term: **14 Years**

(21) Appl. No.: **29/257,753**

(22) Filed: **Apr. 11, 2006**

(30) **Foreign Application Priority Data**

Oct. 21, 2005 (HK) 0502565

(51) **LOC (8) Cl.** **14-02**

(52) **U.S. Cl.** **D14/356; D26/38**

(58) **Field of Classification Search** D14/436,
D14/411, 384-5, 518, 348, 432-5, 299, 167,
D14/402, 242, 356, 496, 156, 240, 218; 439/518,
439/139, 141, 144, 140, 638; 710/74, 62;
361/684; D26/38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D322,609 S * 12/1991 Patton D14/218
- D334,993 S * 4/1993 Lee D26/38
- D436,622 S * 1/2001 Rosenbaum D26/38
- 6,286,973 B1 * 9/2001 Thrower D26/38
- 6,773,192 B1 * 8/2004 Chao 401/195
- D503,428 S * 3/2005 Chen D26/38
- D504,531 S * 4/2005 Bhavnani D26/38
- 6,932,276 B1 * 8/2005 Liu 361/684
- D527,477 S * 8/2006 Chen D14/432
- D545,896 S * 7/2007 Qiu D19/36
- D568,313 S * 5/2008 Leung D14/356

OTHER PUBLICATIONS

Akihabaran News, [online], [retrieved on Jan. 30, 2007]. Retrieved from the Internet <URL: http://images.akihabarnews.com/news_pics/11760/1.jpg>.*

BuyPromos, LLC. [online], [retrieved on Dec. 6, 2006]. Retrieved from the Internet <URL: <http://buypromosllc.corpkeystore.com/execstr/prodView.asp?idproduct=60>>.*

Gear Live: Edge Tech Offering Jeep USB Flash Drives, Pen, pp. 11-12, [online] Jul. 25, 2006 [retrieved on Dec. 13, 2006]. Retrieved from the Internet <URL: <http://www.gearlive.com/index.php/news/category/USB/>>.*

* cited by examiner

Primary Examiner—Robin V. Kearney

Assistant Examiner—Karen E Kearney

(57) **CLAIM**

The ornamental design for a USB memory with laser pointer and remote control, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a USB memory with laser pointer and remote control showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view thereof; and,

FIG. 8 is a perspective view thereof with the USB plug detached therefrom.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8