



US00D583060S

(12) **United States Design Patent**
Kitamura et al.

(10) **Patent No.:** **US D583,060 S**
(45) **Date of Patent:** **** Dec. 16, 2008**

- (54) **SPHYGMOMANOMETER**
- (75) Inventors: **Masashi Kitamura**, Matsusaka (JP);
Tadashi Koike, Kyoto (JP); **Yukiko Mitsunami**, Otsu (JP); **Takahide Tanaka**, Otsu (JP); **Hiroyuki Kato**, Kyoto (JP); **Masayuki Fukutsuka**, Uji (JP); **Takashi Shigeno**, Kawasaki (JP); **Kazuya Andachi**, Kawasaki (JP)
- (73) Assignee: **Omron Healthcare Co., Ltd.**, Kyoto (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/287,648**
- (22) Filed: **Sep. 4, 2007**

D446,306 S *	8/2001	Ochi et al.	D24/165
D473,945 S	4/2003	Nakanishi et al.		
6,547,741 B2	4/2003	Mori et al.		
D484,980 S	1/2004	Hartwein et al.		
D496,104 S	9/2004	Eda et al.		
D532,518 S	11/2006	Eda et al.		
D533,279 S	12/2006	Kobayashi et al.		
D533,666 S	12/2006	Kobayashi et al.		
D537,944 S	3/2007	Eda et al.		

FOREIGN PATENT DOCUMENTS

KR	30-0256390	4/2000
KR	30-0348509	3/2004

OTHER PUBLICATIONS

Japanese Office Action dated Feb. 27, 2007.

* cited by examiner

Primary Examiner—Joel Sincavage

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce PLC

Related U.S. Application Data

- (62) Division of application No. 29/277,672, filed on Mar. 6, 2007, now Pat. No. Des. 561,340.

(30) **Foreign Application Priority Data**

Sep. 7, 2006	(JP)	D2006-023887
Sep. 7, 2006	(JP)	D2006-023888
Sep. 7, 2006	(JP)	D2006-023889
Sep. 7, 2006	(JP)	D2006-023890
Sep. 7, 2006	(JP)	D2006-023891
Sep. 7, 2006	(JP)	D2006-023892

(57) **CLAIM**

The ornamental design for a sphygmomanometer, as shown and described.

- (51) **LOC (8) Cl.** **24-02**
- (52) **U.S. Cl.** **D24/165**
- (58) **Field of Classification Search** D24/165-169, D24/186; D10/96, 98; 600/480, 485, 500, 600/502, 503, 490-496, 499; 128/900
See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of another embodiment of a sphygmomanometer showing our new design;
 FIG. 2 is front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a right side elevational view thereof; and,
 FIG. 7 is a left side elevational view thereof.


The broken lines in FIG. 5 are included for the purpose of illustrating a portion of the sphygmomanometer that forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D283,916 S *	5/1986	Akiyama	D24/165
D315,020 S *	2/1991	Sakaguchi et al.	D24/165
D330,594 S *	10/1992	Koshino	D24/165
D338,271 S *	8/1993	Yoshikawa et al.	D24/165
D344,338 S	2/1994	Yoshikawa et al.		
D373,419 S	9/1996	Muramatsu et al.		
D437,414 S *	2/2001	Kern et al.	D24/165

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




Fig. 5




FIG. 6




FIG. 7