



US00D583082S

(12) **United States Design Patent**
Baxter

(10) **Patent No.:** **US D583,082 S**
(45) **Date of Patent:** **** Dec. 16, 2008**

(54) **COLUMN COVER**

(75) **Inventor:** **Leslie John Baxter**, Oakville (CA)

(73) **Assignee:** **Contour Machine Ltd.**, Weston (CA)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/297,951**

(22) **Filed:** **Nov. 23, 2007**

(51) **LOC (8) Cl.** **25-01**

(52) **U.S. Cl.** **D25/126; D25/38**

(58) **Field of Classification Search** D25/126,
D25/38; 256/19, 20, 22, 65.01, 66, 65.11;
405/216

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,138,806	A *	8/1992	Marx et al.	52/170
5,311,713	A *	5/1994	Goodrich	52/301
5,380,131	A *	1/1995	Crawford	405/216
5,435,667	A *	7/1995	Strange	405/216
6,148,585	A	11/2000	Baker	
6,176,062	B1 *	1/2001	Fayle	52/835
D465,585	S *	11/2002	Venegas, Jr.	D25/126
D470,598	S *	2/2003	Schneider et al.	D25/38
D521,656	S	5/2006	Terrels	

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Joseph Conneely; McCarthy
Tetrault LLP

(57) **CLAIM**

The ornamental design for a column cover, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a column cover showing my new design in a closed position;

FIG. 2 is a partial front perspective view thereof;

FIG. 3 is a partial rear perspective view thereof;

FIG. 4 is a partial front perspective view thereof showing the column cover in an open position;

FIG. 5 is a partial rear perspective view thereof showing the column cover in the open position;

FIG. 6 is a partial front elevation view thereof showing the column cover in the closed position;

FIG. 7 is a partial front elevation view thereof showing the column cover in the open position;

FIG. 8 is a top plan view thereof showing the column cover in the closed position;

FIG. 9 is a top plan view thereof showing the column cover in the open position;

FIG. 10 is a front view of a second embodiment showing the column cover in the closed position;

FIG. 11 is a rear view thereof showing the column cover in the closed position;

FIG. 12 is a left side view thereof showing the column cover in the closed position; and,

FIG. 13 is a right side view thereof showing the column cover in the closed position.

Any broken lines in FIGS. 1–13 are for showing the environment of my new design and form no part of the claimed design.

1 Claim, 13 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

Replacement Sheet 29/297,951




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 583,082 S
APPLICATION NO. : 29/297951
DATED : December 16, 2008
INVENTOR(S) : Leslie John Baxter


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,
Description, line 5 (FIG. 4): Replace the word "font" with the word --front--.

Signed and Sealed this

Tenth Day of February, 2009

A handwritten signature in black ink that reads "John Doll". The signature is written in a cursive, flowing style.

JOHN DOLL
Acting Director of the United States Patent and Trademark Office