



US00D583252S

(12) **United States Design Patent**  
**Lafond et al.**

(10) **Patent No.:** **US D583,252 S**

(45) **Date of Patent:** **\*\* Dec. 23, 2008**

(54) **COMPRESSIBLE CONTAINER**

(75) Inventors: **Andre Lafond**, St-Hilaire (CA); **Yanick Bertin**, Vercheres (CA)

(73) Assignee: **3088081 Canada Inc.**, St-Hilaire (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/277,848**

(22) Filed: **Mar. 12, 2007**

(51) **LOC (8) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/683; D9/520; D9/523**

(58) **Field of Classification Search** ..... **D9/683,**  
**D9/502, 516, 517, 520, 523-528, 549, 557-562,**  
**D9/570, 571, 574, 575; 215/373, 376, 382;**  
**220/606, 608, 609, 623, 624, 666, 669-675;**  
**222/92, 93-96, 105-107, 206-215**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,376,558	A *	5/1921	Lien	.....	222/341
D115,790	S *	7/1939	Hoch	.....	D9/550
2,250,022	A *	7/1941	Hoffman	.....	222/92
3,162,371	A *	12/1964	Palmer et al.	.....	239/327
3,201,111	A *	8/1965	Afton	.....	267/153
3,276,176	A *	10/1966	Jonsson	.....	52/309.2
3,494,509	A *	2/1970	McGuire	.....	222/107
3,506,163	A *	4/1970	Rauh	.....	222/212
D252,379	S *	7/1979	Hartung	.....	D9/683
4,428,507	A *	1/1984	Sneider	.....	222/105
D288,293	S *	2/1987	Arvans	.....	D9/500
5,320,256	A *	6/1994	Wood	.....	222/212
5,447,110	A *	9/1995	Brown	.....	141/2
D372,667	S *	8/1996	Mazda	.....	D9/683
D381,141	S *	7/1997	Balz	.....	D32/29.1
D467,166	S *	12/2002	Gerenraich	.....	D9/683
D480,651	S *	10/2003	Hall et al.	.....	D9/550
6,763,973	B1 *	7/2004	Hudkins	.....	222/1
D534,807	S *	1/2007	Smay et al.	.....	D9/558
2005/0051510	A1 *	3/2005	Varasteh	.....	215/382

\* cited by examiner

*Primary Examiner*—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Goudreau Gage Dubuc

(57) **CLAIM**

The ornamental design for a compressible container, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective top view of the compressible container showing our new design, in an expanded state;

FIG. 2 is a back view of the container of FIG. 1;

FIG. 3 is a side view of the container of FIG. 1;

FIG. 4 is a front view of the container of FIG. 1;

FIG. 5 is a top plan view of the container of FIG. 1;

FIG. 6 is a bottom plan view of the container of FIG. 1;

FIG. 7 is a perspective top view showing the container of FIG. 1 in a compressed state

FIG. 8 is a cross sectional view taken along line 8—8 of FIG. 3;

FIG. 9 is a perspective top view showing a second embodiment of our new design in an expanded state;

FIG. 10 is a back view of the container of FIG. 9;

FIG. 11 is a side view of the container of FIG. 9;

FIG. 12 is a front view of the container of FIG. 9;

FIG. 13 is a top plan view of the container of FIG. 9;

FIG. 14 is a bottom plan view of the container of FIG. 9;

FIG. 15 is a perspective top view showing the container of FIG. 9 in a compressed state

FIG. 16 is a cross sectional view taken along line 16—16 of FIG. 11;

FIG. 17 is a perspective top view showing a third embodiment of our new design in an expanded state;

FIG. 18 is a back view of the container of FIG. 17;

FIG. 19 is a side view of the container of FIG. 17;

FIG. 20 is a front view of the container of FIG. 17;

FIG. 21 is a top plan view of the container of FIG. 17;




FIG. 22 is a bottom plan view of the container of FIG. 17;  
FIG. 23 is a perspective top view showing the container of FIG. 17 in a compressed state;  
FIG. 24 is a cross sectional view taken along line 24—24 of FIG. 19;  
FIG. 25 is a perspective top view showing a fourth embodiment of our my new design in an expanded state;  
FIG. 26 is a back view of the container of FIG. 25;  
FIG. 27 is a side view of the container of FIG. 25;  
FIG. 28 is a front view of the container of FIG. 25;  
FIG. 29 is a top plan view of the container of FIG. 25;  
FIG. 30 is a bottom plan view of the container of FIG. 25;  
FIG. 31 is a perspective top view showing the container of FIG. 25 in a compressed state;  
FIG. 32 is a cross sectional view taken along line 32—32 of FIG. 27;

FIG. 33 is a perspective top view showing a fifth embodiment of our new design in an expanded state;  
FIG. 34 is a back view of the container of FIG. 33;  
FIG. 35 is a side view of the container of FIG. 33;  
FIG. 36 is a front view of the container of FIG. 33;  
FIG. 37 is a top plan view of the container of FIG. 33;  
FIG. 38 is a bottom plan view of the container of FIG. 33;  
FIG. 39 is a perspective top view showing the container of FIG. 33 in a compressed state; and,  
FIG. 40 is a cross sectional view taken along line 40—40 of FIG. 35.  
The broken lines are included for the purpose of illustrating portions of the compressible container that form no part of the claimed design.

**1 Claim, 40 Drawing Sheets**




Fig-1




Fig-2







Fig-3



*Fig-4*






Fig-5



*Fig. 6*





*Fig-7*




Fig. 8






Fig-9



*Fig-10*





**Fig-11**






Fig-12




*Fig. 13*




*Fig-14*





*Fig-15*



*Fig. 16*





Fig-17



*Fig. 18*









Fig-19



*Fig. 20*



*Fig-21*



*FIG-22*






Fig. 23






Fig. 24



*Fig. 25*



*Fig. 26*






Fig-27






Fig-28






Fig-29



*Fig. 30*





*Fig. 31*






Fig-32





*Fig. 33*



*Fig-34*






Fig. 35




*Fig. 36*






*Fig. 37*





*Fig. 38*



*Fig. 39*




Fig-40