



US00D583252S

(12) **United States Design Patent**
Lafond et al.

(10) **Patent No.:** **US D583,252 S**
(45) **Date of Patent:** **** Dec. 23, 2008**

(54) **COMPRESSIBLE CONTAINER**

(75) Inventors: **Andre Lafond**, St-Hilaire (CA); **Yanick Bertin**, Vercheres (CA)

(73) Assignee: **3088081 Canada Inc.**, St-Hilaire (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/277,848**

(22) Filed: **Mar. 12, 2007**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/683; D9/520; D9/523**

(58) **Field of Classification Search** **D9/683,**
D9/502, 516, 517, 520, 523-528, 549, 557-562,
D9/570, 571, 574, 575; 215/373, 376, 382;
220/606, 608, 609, 623, 624, 666, 669-675;
222/92, 93-96, 105-107, 206-215
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|---------|---------------|-------|----------|
| 1,376,558 | A * | 5/1921 | Lien | | 222/341 |
| D115,790 | S * | 7/1939 | Hoch | | D9/550 |
| 2,250,022 | A * | 7/1941 | Hoffman | | 222/92 |
| 3,162,371 | A * | 12/1964 | Palmer et al. | | 239/327 |
| 3,201,111 | A * | 8/1965 | Afton | | 267/153 |
| 3,276,176 | A * | 10/1966 | Jonsson | | 52/309.2 |
| 3,494,509 | A * | 2/1970 | McGuire | | 222/107 |
| 3,506,163 | A * | 4/1970 | Rauh | | 222/212 |
| D252,379 | S * | 7/1979 | Hartung | | D9/683 |
| 4,428,507 | A * | 1/1984 | Sneider | | 222/105 |
| D288,293 | S * | 2/1987 | Arvans | | D9/500 |
| 5,320,256 | A * | 6/1994 | Wood | | 222/212 |
| 5,447,110 | A * | 9/1995 | Brown | | 141/2 |
| D372,667 | S * | 8/1996 | Mazda | | D9/683 |
| D381,141 | S * | 7/1997 | Balz | | D32/29.1 |
| D467,166 | S * | 12/2002 | Gerenraich | | D9/683 |
| D480,651 | S * | 10/2003 | Hall et al. | | D9/550 |
| 6,763,973 | B1 * | 7/2004 | Hudkins | | 222/1 |
| D534,807 | S * | 1/2007 | Smay et al. | | D9/558 |
| 2005/0051510 | A1 * | 3/2005 | Varasteh | | 215/382 |

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Goudreau Gage Dubuc

(57) **CLAIM**

The ornamental design for a compressible container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective top view of the compressible container showing our new design, in an expanded state;

FIG. 2 is a back view of the container of FIG. 1;

FIG. 3 is a side view of the container of FIG. 1;

FIG. 4 is a front view of the container of FIG. 1;

FIG. 5 is a top plan view of the container of FIG. 1;

FIG. 6 is a bottom plan view of the container of FIG. 1;

FIG. 7 is a perspective top view showing the container of FIG. 1 in a compressed state

FIG. 8 is a cross sectional view taken along line 8—8 of FIG. 3;

FIG. 9 is a perspective top view showing a second embodiment of our new design in an expanded state;

FIG. 10 is a back view of the container of FIG. 9;

FIG. 11 is a side view of the container of FIG. 9;

FIG. 12 is a front view of the container of FIG. 9;

FIG. 13 is a top plan view of the container of FIG. 9;

FIG. 14 is a bottom plan view of the container of FIG. 9;

FIG. 15 is a perspective top view showing the container of FIG. 9 in a compressed state

FIG. 16 is a cross sectional view taken along line 16—16 of FIG. 11;

FIG. 17 is a perspective top view showing a third embodiment of our new design in an expanded state;

FIG. 18 is a back view of the container of FIG. 17;

FIG. 19 is a side view of the container of FIG. 17;

FIG. 20 is a front view of the container of FIG. 17;

FIG. 21 is a top plan view of the container of FIG. 17;




FIG. 22 is a bottom plan view of the container of FIG. 17;
FIG. 23 is a perspective top view showing the container of FIG. 17 in a compressed state;
FIG. 24 is a cross sectional view taken along line 24—24 of FIG. 19;
FIG. 25 is a perspective top view showing a fourth embodiment of our my new design in an expanded state;
FIG. 26 is a back view of the container of FIG. 25;
FIG. 27 is a side view of the container of FIG. 25;
FIG. 28 is a front view of the container of FIG. 25;
FIG. 29 is a top plan view of the container of FIG. 25;
FIG. 30 is a bottom plan view of the container of FIG. 25;
FIG. 31 is a perspective top view showing the container of FIG. 25 in a compressed state;
FIG. 32 is a cross sectional view taken along line 32—32 of FIG. 27;

FIG. 33 is a perspective top view showing a fifth embodiment of our new design in an expanded state;
FIG. 34 is a back view of the container of FIG. 33;
FIG. 35 is a side view of the container of FIG. 33;
FIG. 36 is a front view of the container of FIG. 33;
FIG. 37 is a top plan view of the container of FIG. 33;
FIG. 38 is a bottom plan view of the container of FIG. 33;
FIG. 39 is a perspective top view showing the container of FIG. 33 in a compressed state; and,
FIG. 40 is a cross sectional view taken along line 40—40 of FIG. 35.

The broken lines are included for the purpose of illustrating portions of the compressible container that form no part of the claimed design.

1 Claim, 40 Drawing Sheets




Fig-1




Fig-2




Fig-3




Fig-4




Fig-5




Fig. 6




Fig-7




Fig. 8




Fig-9




Fig-10




Fig-11




Fig. 12




Fig. 13




Fig-14




Fig. 15




Fig. 16




Fig-17




Fig. 18




Fig-19




Fig. 20




Fig-21




FIG-22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig-27




Fig-28




Fig-29




Fig. 30




Fig. 31




Fig-32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig-40