



US00D583309S

(12) **United States Design Patent**
Licht et al.

(10) **Patent No.:** **US D583,309 S**

(45) **Date of Patent:** **** Dec. 23, 2008**

(54) **TIRE**

(75) Inventors: **Laurent Licht**, Zoufftgen (FR); **Olivier de Barsy**, Eischen (LU)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/289,793**

(22) Filed: **Aug. 1, 2007**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/588; D12/590**

(58) **Field of Classification Search** D12/583-603,
D12/900-901; 152/209.1, 209.8-209.18,
152/209.28, 209.25, 455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D370,439 S	6/1996	Feider et al.	D12/141
D385,235 S	10/1997	Young	D12/141
D388,370 S	12/1997	Young et al.	D12/146
D397,647 S	9/1998	Young	D12/146
D426,178 S *	6/2000	Weber et al.	D12/588
D451,860 S	12/2001	Schuster et al.	D12/147
D458,582 S	6/2002	Rodicq et al.	D12/586
D458,897 S *	6/2002	Weber et al.	D12/588
D464,025 S *	10/2002	Okano	D12/588
D472,204 S *	3/2003	Kemp et al.	D12/588
D481,670 S	11/2003	Harden, Jr. et al.	D12/595
D481,992 S	11/2003	Harden, Jr. et al.	D12/595
D483,007 S *	12/2003	Brayer et al.	D12/588
D484,456 S *	12/2003	Irimiya	D12/590
D502,444 S *	3/2005	Wage	D12/588
D503,145 S *	3/2005	Labbe et al.	D12/588
D511,741 S	11/2005	Cazin-Bourguignon et al.	D12/601
D531,115 S *	10/2006	Ikeda	D12/588

D531,572 S *	11/2006	Schmalix et al.	D12/588
D554,053 S *	10/2007	Feider et al.	D12/588
D555,081 S *	11/2007	Feider et al.	D12/588

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof;



FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is identical thereto; and,

FIG. 6 is a front elevational view of the second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the claimed tire tread and the unclaimed sidewall depict environmental subject matter that forms no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6