



US00D583398S

(12) **United States Design Patent**  
**Seiler**

(10) **Patent No.:** **US D583,398 S**

(45) **Date of Patent:** **\*\* Dec. 23, 2008**

(54) **MIXING MACHINE**

(75) Inventor: **Andreas Seiler**, Tauberbischofsheim (DE)

(73) Assignee: **Maschinenfabrik Gustav Eirich GmbH & Co., KG**, Hardheim (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/255,948**

(22) Filed: **Mar. 14, 2006**

(30) **Foreign Application Priority Data**

Sep. 16, 2005 (DE) ..... 4 05 04 815

(51) **LOC (8) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/147**

(58) **Field of Classification Search** ..... D7/384;  
D15/147; 277/26 R, 95; 366/76.7, 143,  
366/149, 168.1, 185, 192, 241-260, 309,  
366/326.1, 601, 604, 605

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D213,917 S *	4/1969	Peterson	.....	D15/147
D258,213 S *	2/1981	Lydford	.....	D15/147
D264,218 S *	5/1982	Neuner et al.	.....	D15/147
D347,645 S *	6/1994	Miller	.....	D15/147
5,383,163 A *	1/1995	Brunn	.....	366/217
D374,677 S *	10/1996	Hodson et al.	.....	D15/147
D388,447 S *	12/1997	Otto	.....	D15/147

(Continued)

**OTHER PUBLICATIONS**

Eirich, Two Page Illustration—Published 1990.  
Eirich Intensive Mixer (Type RO5T-R09T) For Laboratory and Production, Published Jul. 2002, two pages.  
Eirich Intensive Mixer (Type R19/R24), Publication date Feb. 2004, two pages.

Eirich Intensive Mixer (Type R08/R09/R11/R15) Publication date Apr. 2003, two pages.

*Primary Examiner*—Sandra Snapp  
*Assistant Examiner*—Patricia Palasik  
(74) *Attorney, Agent, or Firm*—Paul & Paul

(57) **CLAIM**

The ornamental design for a mixing machine, as shown and described.

**DESCRIPTION**

The application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a perspective front view of a mixing machine.

FIG. 2 is a perspective front view from the right side of the mixing machine of FIG. 1.

FIG. 3 is a right side of the mixing machine of FIG. 1.

FIG. 4 is a perspective rear view of the mixing machine of FIG. 1.


FIG. 5 is a left side view of the mixing machine of FIG. 1.

FIG. 6 is a perspective front view from the right side of the mixing machine of FIG. 1 in an opened state, with two lids of the drum located at the right side of the machine being opened toward the front and rear, respectively, and the left side of the machine being shifted to the left, so that the machine is shown opened in the middle; and,

FIG. 7 is a perspective rear view of the opened mixing machine of FIG. 6, with one lid of the drum located at the machine being opened toward the rear and the middle part of the machine being accessible by pulling the right and left parts away from each other.

The broken line showing of the mixing machine is included for the purpose of illustrating portions and environment of the mixing machine and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D583,398 S

Page 2

---

## U.S. PATENT DOCUMENTS

D393,476 S *	4/1998	Lodige .....	D15/147	D472,253 S *	3/2003	Reedy et al. ....	D15/147
D401,246 S *	11/1998	Langeveld et al. ....	D15/7	D473,420 S *	4/2003	Lo et al. ....	D7/376
5,906,433 A *	5/1999	Mazzalveri .....	366/209	D534,551 S *	1/2007	Kushlan .....	D15/19
D448,966 S *	10/2001	Hsieh .....	D7/376	2001/0024400 A1 *	9/2001	Van Der Wel .....	366/143
D450,731 S *	11/2001	Papaikonomou et al. ...	D15/147	2007/0070802 A1 *	3/2007	Mortimer et al. ....	366/76.7

\* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7

