



US00D583413S

(12) **United States Design Patent**
Li

(10) **Patent No.:** **US D583,413 S**

(45) **Date of Patent:** **** Dec. 23, 2008**

(54) **PEN**

(75) Inventor: **Bin Li, Ningbo (CN)**

(73) Assignee: **Beifa Group Co., Ltd., Ningbo (CN)**

(**) Term: **14 Years**

(21) Appl. No.: **29/298,535**

(22) Filed: **Dec. 6, 2007**

(30) **Foreign Application Priority Data**

Jun. 6, 2007 (CN) 2007 3 0158201

(51) **LOC (8) Cl.** **19-06**

(52) **U.S. Cl.** **D19/49**

(58) **Field of Classification Search** D19/35,
D19/36, 41, 42, 43, 44, 45, 46, 47, 48, 49,
D19/50, 51, 54, 55, 56, 57; 24/11 F, 11 P,
24/11 R; 401/52, 99, 106, 100, 104, 105,
401/107, 108, 109, 192, 195, 196, 202, 209,
401/213, 243, 244, 245, 247; 708/107

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

948,124 A * 2/1910 Arends 401/85
D179,982 S * 4/1957 Rhoades D19/49
3,036,699 A * 5/1962 Huber 206/306
D387,804 S 12/1997 Izushima
D395,448 S * 6/1998 Chevalier D19/51
D410,031 S 5/1999 Charriol
5,918,993 A * 7/1999 Koyama 401/106
D437,352 S 2/2001 Matsuzaki
6,336,761 B1 * 1/2002 Kudo 401/106
6,340,261 B1 * 1/2002 Furukawa 401/216
6,390,706 B1 * 5/2002 Yokouchi et al. 401/104
D458,964 S * 6/2002 Nakazawa D19/48
D472,577 S * 4/2003 Sakuno et al. D19/51
D482,067 S * 11/2003 Yang D19/50

D482,399 S * 11/2003 Yang D19/51
D496,401 S * 9/2004 Anand D19/51
D500,521 S * 1/2005 Hautzinger et al. D19/51
D504,153 S * 4/2005 Yang D19/43
D506,502 S * 6/2005 Qiu D19/48
D506,507 S * 6/2005 Qiu D19/51
D510,386 S * 10/2005 Briggl D19/51
D515,626 S * 2/2006 Pellissa Beneyto D19/51
D532,821 S 11/2006 Banderet
D542,349 S * 5/2007 Anand D19/50
D551,296 S * 9/2007 Greenberg D19/49
D551,711 S * 9/2007 Pellissa Beneyto D19/51

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000250220-0009 * 2/2005
EM 000475595-0004 * 3/2006
WO DM/054662 * 12/2000

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Christensen O'Connor
Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a pen, as shown and described.

DESCRIPTION

FIG. 1 is a lower front left perspective view of a pen showing my new design;

FIG. 2 is an upper front right perspective view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a front elevation view thereof;

FIG. 6 is a right side elevation view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a rear elevation view thereof.

1 Claim, 3 Drawing Sheets



US D583,413 S

Page 2

U.S. PATENT DOCUMENTS

D559,315 S *	1/2008	Qiu et al.	D19/50	D571,400 S *	6/2008	Anand	D19/49
D559,318 S *	1/2008	Qiu et al.	D19/51	D573,185 S *	7/2008	Qiu et al.	D19/51
D559,909 S *	1/2008	Qiu et al.	D19/50	D573,640 S *	7/2008	Qiu et al.	D19/48
D562,382 S	2/2008	Qiu		D574,890 S *	8/2008	Avenatti	D19/51
D562,394 S *	2/2008	Qiu et al.	D19/51	D575,338 S *	8/2008	Shimizu	D19/49
D569,435 S *	5/2008	Cetera	D19/56	D576,213 S *	9/2008	Fei	D19/47
D569,909 S *	5/2008	Shibata	D19/51	2006/0062628 A1 *	3/2006	Kostecki et al.	401/6

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.