



US00D583491S

(12) **United States Design Patent**  
**Siemers et al.**

(10) **Patent No.:** **US D583,491 S**

(45) **Date of Patent:** **\*\* Dec. 23, 2008**

(54) **CASING FOR ILLUMINATION DEVICE**

D544,618 S \* 6/2007 Coushaine ..... D26/37

(76) Inventors: **Matthew Bruce Siemers**, 18A  
Offenbach Lane, Ottawa, Ontario (CA)  
K2G 4Z7; **John Charles Tutton**, 2320  
Andrew Street, North Gower, Ontario  
(CA) K0A 2T0; **Robert David Watters**,  
294 Atlantis Avenue, Ottawa, Ontario  
(CA) K2A 1X6

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Victoria Donnelly

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/305,985**

(22) Filed: **Mar. 31, 2008**

(51) **LOC (8) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/37**

(58) **Field of Classification Search** ..... D26/37-50;  
362/157, 158, 171-174, 183-208

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D491,899 S \* 6/2004 Yagi ..... D13/180

D515,957 S \* 2/2006 Dueker et al. .... D10/109

(57) **CLAIM**

The ornamental design for casing for illumination device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the casing for illumination device;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a perspective view thereof;


FIG. 4 is a left side elevational view of FIG. 1 preliminary rotated by 180 degrees in the plane of FIG. 1;

FIG. 5 is a bottom plan view of FIG. 2;

FIG. 6 is right side elevational view of FIG. 1 preliminary rotated by 180 degrees in the plane of FIG. 1; and,

FIG. 7 is a top plan view of FIG. 1.

**1 Claim, 3 Drawing Sheets**






FIG. 2




FIG. 1




FIG. 3

FIG. 4




FIG. 6




FIG. 5




FIG. 7

