



US00D583668S

(12) **United States Design Patent**  
**Sweeton**

(10) **Patent No.:** **US D583,668 S**  
(45) **Date of Patent:** **\*\* Dec. 30, 2008**

(54) **AEROSOL HEAD SHROUD**

(75) Inventor: **Steven L. Sweeton**, Lake Winnebago,  
MO (US)

(73) Assignee: **MeadWestvaco Calmar, Inc.**,  
Grandview, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/279,683**

(22) Filed: **May 4, 2007**

(51) **LOC (8) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/448**

(58) **Field of Classification Search** ..... D9/688,  
D9/686, 685, 682, 448, 447; D23/238, 226,  
D23/213; 222/402.15, 383.1, 153.11, 153.02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D476,558 S *	7/2003	Cho et al.	.....	D9/685
D489,970 S	5/2004	Nelson et al.		
D507,493 S	7/2005	Nelson et al.		
D537,359 S *	2/2007	Butler et al.	.....	D9/685
D539,142 S *	3/2007	Butler et al.	.....	D9/448
D559,682 S *	1/2008	Meeker et al.	.....	D9/448
2004/0222246 A1 *	11/2004	Bates et al.	.....	222/402.15

\* cited by examiner

*Primary Examiner*—Robert M. Spear

*Assistant Examiner*—Susan B Hattan

(74) *Attorney, Agent, or Firm*—Gordon & Jacobson, PC

(57) **CLAIM**

The ornamental design for an aerosol head shroud, as shown and described.

**DESCRIPTION**

FIG. 1 is a front side perspective view of a first embodiment of an aerosol head shroud;

FIG. 2 is a back side perspective view of the first embodiment of the shroud

FIG. 3 is a top view of the first embodiment of the shroud;

FIG. 4 is a right side view of the first embodiment of the shroud, the left side view being a mirror image thereof;

FIG. 5 is a front view of the second embodiment of the shroud;

FIG. 6 is a rear view of the second embodiment of the shroud;

FIG. 7 is a front side perspective view of the second embodiment of the shroud;

FIG. 8 is a back side perspective view of the second embodiment of the shroud;

FIG. 9 is a top view of the second embodiment of the shroud;

FIG. 10 is a right side view of the second embodiment of the shroud, the left side view being a mirror image thereof;

FIG. 11 is a front view of the second embodiment of the shroud;

FIG. 12 is a rear view of the second embodiment of the shroud;

FIG. 13 is a front side perspective view of a third embodiment of the shroud;

FIG. 14 is a back side perspective view of the third embodiment of the shroud;

FIG. 15 is a top view of the third embodiment of the shroud;

FIG. 16 is a right side view of the third embodiment of the shroud, the left side view being a mirror image thereof;

FIG. 17 is a front view of the third embodiment of the shroud;

FIG. 18 is a rear view of the third embodiment of the shroud;

FIG. 19 is a front side perspective view of a fourth embodiment of the shroud;

FIG. 20 is a back side perspective view of the fourth embodiment of the shroud;

FIG. 21 is a top view of the fourth embodiment of the shroud;


FIG. 22 is a right side view of the fourth embodiment of the shroud, the left side view being a mirror image thereof;

FIG. 23 is a front view of the fourth embodiment of the shroud; and,

FIG. 24 is a rear view of the fourth embodiment of the shroud.

The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22






FIG. 23




FIG. 24