



US00D583686S

(12) **United States Design Patent**
Forakis

(10) **Patent No.:** **US D583,686 S**

(45) **Date of Patent:** **** Dec. 30, 2008**

(54) **ROTARY TIMER**

(76) Inventor: **Jozeph Forakis**, Via Canonica 67, Milan
(IT) 20154

(**) Term: **14 Years**

(21) Appl. No.: **29/301,663**

(22) Filed: **Mar. 12, 2008**

(51) **LOC (8) Cl.** **10-03**

(52) **U.S. Cl.** **D10/40**

(58) **Field of Classification Search** D10/40,
D10/41, 122-126, 24-26; 368/97-101
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,919,255	A *	7/1933	Porter	368/97
2,113,274	A *	4/1938	Lux	368/99
D110,529	S *	7/1938	Rhodes	D14/257
D134,254	S *	11/1942	Holston	D10/40
D157,882	S *	3/1950	Lux	D10/40
D157,893	S *	3/1950	Nevell	D10/40
D158,016	S *	4/1950	Schlenker	D10/40
2,543,032	A *	2/1951	Laviana	368/98
D163,133	S *	5/1951	Ornas	D10/40
2,553,482	A *	5/1951	Smith	368/109
2,562,546	A *	7/1951	Gray	368/109
2,583,245	A *	1/1952	Valkenburgh et al.	185/38
D166,764	S *	5/1952	Lux	D10/40
2,690,801	A *	10/1954	Perl	368/97
2,715,310	A *	8/1955	Roberts	368/112
2,783,835	A *	3/1957	Poole	368/108
2,797,863	A *	7/1957	Shepard, Jr.	235/61 B
2,803,300	A *	8/1957	Warkentien	368/112
D197,483	S *	2/1964	Kerr	D10/125
3,187,319	A *	6/1965	Crawford	368/108

D205,856	S *	9/1966	Beerbaum	D10/40
D208,999	S *	10/1967	Stagler	D10/40
D210,474	S *	3/1968	Miley	D10/40
3,555,809	A *	1/1971	Michael	368/99
D235,008	S *	4/1975	Ishikawa	D10/40
4,070,820	A *	1/1978	Lewinter et al.	368/99
D260,375	S *	8/1981	Kane et al.	D10/40
D269,790	S *	7/1983	Alessio	D19/64
4,530,607	A *	7/1985	Bungener	368/109
D316,046	S *	4/1991	Kato	D10/25
D321,141	S *	10/1991	Aikawa	D10/26
D331,197	S *	11/1992	Murat	D10/25
D336,857	S *	6/1993	Moll	D10/25
D369,619	S *	5/1996	Rogers	D19/64

* cited by examiner

Primary Examiner—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—Cascio Schmoyer & Zervas

(57) **CLAIM**


The ornamental design for a rotary timer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view showing the rotary timer, FIG. 2 is a top plan view thereof, FIG. 3 is a bottom plan view thereof, FIG. 4 is a rear elevational view thereof, FIG. 5 is a right side elevational view thereof, FIG. 6 is a left side elevational view thereof; and, FIG. 7 is a front perspective view thereof.

The broken lines are for illustrative purposes and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7