



US00D583691S

(12) **United States Design Patent**
Wang

(10) **Patent No.:** **US D583,691 S**

(45) **Date of Patent:** **** Dec. 30, 2008**

(54) **SENSOR**

(75) Inventor: **Yi Wang**, San Ramon, CA (US)

(73) Assignee: **Abbott Diabetes Care Inc.**, Alameda, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/292,696**

(22) Filed: **Oct. 24, 2007**

6,923,894	B2	8/2005	Huang et al.
7,008,799	B1	3/2006	Zimmer et al.
7,081,188	B1	7/2006	Cho
7,122,110	B2	10/2006	Deng et al.
7,125,481	B2	10/2006	Musho et al.
2004/0186394	A1	9/2004	Roe et al.
2005/0258052	A1	11/2005	Gotoh et al.

* cited by examiner

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Edward J. Baba; Bozicevic, Field & Francis LLP

Related U.S. Application Data

(62) Division of application No. 29/275,392, filed on Dec. 22, 2006.

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/81**

(58) **Field of Classification Search** D10/81;
204/403.01–403.14, 416–418; 205/775,
205/777.5, 778, 792, 789; D24/224
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D331,807	S	*	12/1992	Sodergren	D10/81
D381,591	S	*	7/1997	Rice et al.	D10/81
6,071,391	A		6/2000	Gotoh et al.		
6,156,173	A		12/2000	Gotoh et al.		
6,174,420	B1		1/2001	Hodges et al.		
6,270,637	B1		8/2001	Crismore et al.		
6,428,664	B1		8/2002	Bhullar et al.		
6,447,657	B1		9/2002	Bhullar et al.		
6,503,381	B1		1/2003	Gotoh et al.		
6,521,110	B1		2/2003	Hodges et al.		
6,767,440	B1		7/2004	Bhullar et al.		
6,818,180	B2		11/2004	Douglas et al.		
6,837,976	B2		1/2005	Cai et al.		
6,866,758	B2		3/2005	Bhullar et al.		
6,893,545	B2		5/2005	Gotoh et al.		

(57) **CLAIM**

The ornamental design for sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, showing the top, left side and front side, of a sensor of the present invention, with no claim made to the portions illustrated in phantom;

FIG. 2 is a top view of the sensor of FIG. 1;

FIG. 3 is a back side view of the sensor of FIG. 1;

FIG. 4 is a front side view of the sensor of FIG. 1;

FIG. 5 is a left side view of the sensor of FIG. 1; the right side view being a mirror image of the left side view;

FIG. 6 is a bottom view of the sensor of FIG. 1;

FIG. 7 is a perspective view, showing the top, left side and front side, of a sensor of the present invention, with no claim made to the portions illustrated in phantom;

FIG. 8 is a top view of the sensor of FIG. 7;

FIG. 9 is a back side view of the sensor of FIG. 7;

FIG. 10 is a front side view of the sensor of FIG. 7;

FIG. 11 is a left side view of the sensor of FIG. 7; the right side view being a mirror image of the left side view; and,

FIG. 12 is a bottom view of the sensor of FIG. 7.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8



FIG. 9




FIG. 10



FIG. 11



FIG. 12

