



US00D583744S

(12) **United States Design Patent**  
**Swinson, III**

(10) **Patent No.:** **US D583,744 S**  
(45) **Date of Patent:** **\*\* Dec. 30, 2008**

(54) **WHEEL CHOCK BASEPLATE**

(75) Inventor: **William E. Swinson, III**, Greeneville,  
TN (US)

(73) Assignee: **Meco Corporation**, Greeneville, TN  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/304,102**

(22) Filed: **Feb. 25, 2008**

5,092,504 A	3/1992	Hannes et al.
5,137,411 A	8/1992	Eul et al.
5,263,553 A	11/1993	Duncan
5,427,286 A	6/1995	Hagerty
D365,078 S	12/1995	Ziaylek
5,476,200 A	12/1995	Wong
5,549,231 A	8/1996	Fletcher et al.
5,560,526 A	10/1996	Jantzen et al.

(Continued)

**Related U.S. Application Data**

(62) Division of application No. 29/235,034, filed on Jul.  
27, 2005, now Pat. No. Des. 566,029.

(51) **LOC (8) Cl.** ..... **12-06**

(52) **U.S. Cl.** ..... **D12/217**

(58) **Field of Classification Search** ..... D12/217,  
D12/114, 120, 203; D6/552; D8/349, 350,  
D8/353-354, 373, 380, 402; 410/30, 49;  
248/221.12, 222.41, 222.51; 280/293, 507  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,816,627 A	12/1957	Wilson et al.	
3,065,827 A	11/1962	Timbers	
3,144,507 A *	8/1964	Scadron	174/84 R
D201,143 S	5/1965	Vigilante	
D219,236 S	11/1970	Hudak	
3,785,517 A	1/1974	Brajkovich	
3,907,072 A	9/1975	Shafer	
4,031,726 A	6/1977	De Jager	
4,502,816 A	3/1985	Creter et al.	
4,700,873 A	10/1987	Young	
D298,823 S	12/1988	Zutler	
4,823,997 A	4/1989	Krieger	
4,833,442 A	5/1989	Von Heck	
4,852,779 A	8/1989	Berg	
4,921,152 A	5/1990	Kemming	
5,025,932 A	6/1991	Jay	
D319,523 S *	8/1991	Hall	D8/349

**FOREIGN PATENT DOCUMENTS**

EP 0 496 727 B1 8/1992

(Continued)

*Primary Examiner*—Elizabeth A Albert  
*Assistant Examiner*—Kelley A Donnelly  
(74) *Attorney, Agent, or Firm*—McGuireWoods LLP


(57) **CLAIM**

I claim the ornamental design for a wheel chock baseplate, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the wheel chock baseplate;  
FIG. 2 is a top side view of the design embodiment shown in  
FIG. 1;  
FIG. 3 is a front side view of the design embodiment shown in  
FIG. 1; and,  
FIG. 4 is a right side view of the design embodiment shown in  
FIG. 1.

**1 Claim, 1 Drawing Sheet**



# US D583,744 S

Page 2

## U.S. PATENT DOCUMENTS

5,611,472 A 3/1997 Miller  
D386,140 S 11/1997 Pingel et al.  
D386,141 S 11/1997 Pingel et al.  
5,735,410 A 4/1998 Kallstrom  
D397,983 S 9/1998 Pingel et al.  
D397,984 S 9/1998 Pingel et al.  
D397,985 S 9/1998 Pingel et al.  
5,803,208 A 9/1998 Blach  
5,820,002 A 10/1998 Allen  
5,857,602 A 1/1999 Depot  
D405,047 S \* 2/1999 Lundgren ..... D12/414  
D425,839 S \* 5/2000 Asakura ..... D12/174  
6,095,731 A 8/2000 Minakami et al.  
6,116,062 A 9/2000 Markegard et al.  
6,179,181 B1 1/2001 Johnson et al.  
6,186,727 B1 2/2001 Hamilton  
6,241,104 B1 6/2001 Kraus  
6,340,106 B1 1/2002 Dutton  
6,367,673 B1 4/2002 Smith et al.  
RE38,162 E 7/2003 Brown  
6,601,712 B2 8/2003 Dean et al.  
6,752,303 B2 6/2004 McLemore et al.

6,755,599 B1 6/2004 Plyler  
D493,408 S 7/2004 Chrisco et al.  
D495,223 S \* 8/2004 Altman ..... D8/19  
D497,873 S 11/2004 Graber  
D501,818 S 2/2005 Bateman  
D502,138 S 2/2005 Bateman  
D507,959 S \* 8/2005 Mottini ..... D8/354  
D552,527 S \* 10/2007 Wolfram ..... D12/217  
D565,661 S \* 4/2008 Lau ..... D19/65  
2003/0071097 A1 4/2003 Dean  
2003/0159892 A1 8/2003 Jette  
2004/0004099 A1 1/2004 Crouch  
2004/0020252 A1 2/2004 Howitt  
2004/0084491 A1 5/2004 Gibson

## FOREIGN PATENT DOCUMENTS

GB 0 897 582 A 5/1962  
GB 1 215 759 A 12/1970  
GB 2 070 162 A 9/1981  
GB 2 112 725 A 7/1983  
GB 2 274 691 A 8/1994

\* cited by examiner




Fig. 1




Fig. 2




Fig. 4



Fig. 3