



US00D584014S

(12) **United States Design Patent**
Pittman

(10) **Patent No.:** **US D584,014 S**
(45) **Date of Patent:** **** Dec. 30, 2008**

(54) **SADDLE AND TACK STORAGE BOX**

(76) Inventor: **Steve Pittman**, 11811 Marigold St. NW.,
Coon Rapids, MN (US) 55433

(**) Term: **14 Years**

(21) Appl. No.: **29/276,381**

(22) Filed: **Jan. 24, 2007**

(51) **LOC (8) Cl.** **30-04**

(52) **U.S. Cl.** **D30/143; D30/134**

(58) **Field of Classification Search** D30/143,
D30/108, 109, 199, 114; 119/453, 494, 482,
119/497, 165; D6/432, 448, 436, 440, 445,
D6/446, 444; 190/19; 206/315.11, 782,
206/315.1, 527, 579, 600, 372; 312/107,
312/204, 213, 284, 114, 118, 257.1, 244,
312/290, 312, 902; 54/1; 217/13, 15, 47,
217/12 R, 65; 220/4.28, 4.29, 4.01, 7, 826,
220/4.34, 4.33; D3/294, 905; 211/169, 88.01
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,355,541 A * 8/1944 Lew 312/265.2
D252,430 S * 7/1979 Oakley et al. D6/432
4,559,903 A * 12/1985 Bloom et al. 119/416
4,576,281 A * 3/1986 Kirksey 206/370
4,975,989 A * 12/1990 Sutton 4/300
D327,793 S * 7/1992 McGrory D6/448
D330,647 S * 11/1992 Bennett D6/432
D331,821 S * 12/1992 McDaniels, II D30/108
D352,660 S * 11/1994 Stribiak D9/420
D378,033 S * 2/1997 Volk, Jr. D6/448

5,970,914 A * 10/1999 Steil et al. 119/165
6,910,574 B2 * 6/2005 Straka 206/315.1
7,188,635 B2 * 3/2007 Johnson 135/87
2002/0078901 A1 * 6/2002 Roberts 119/453

* cited by examiner

Primary Examiner—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—David W. Carstens; Carstens
& Cahoon, LLP

(57) **CLAIM**

I claim the ornamental design for a saddle and tack storage
box, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a saddle and tack storage
box of the present invention, shown with the open door in a
first position;

FIG. 2 is a front view of the saddle and tack storage box shown
with the open door in another position;

FIG. 3 is a rear view of the saddle and tack storage box shown
with the open door in the same position as in FIG. 2;


FIG. 4 is a right side view of the saddle and tack storage box
shown with the open door in still another position;

FIG. 5 is a left side view of the saddle and tack storage box
shown with the open door in the same position as in FIG. 4;

FIG. 6 is a top view of the saddle and tack storage box shown
with the open door in the same position as in FIG. 4; and,

FIG. 7 is a bottom view of the saddle and tack storage box
shown with the open door in the same position as in FIG. 4.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7