



US00D584142S

(12) **United States Design Patent**
Andre et al.

(10) **Patent No.:** **US D584,142 S**
(45) **Date of Patent:** **** Jan. 6, 2009**

(54) **PACKAGE**

(75) Inventors: **Bartley K. Andre**, Menlo Park, CA (US); **Daniel J. Coster**, San Francisco, CA (US); **Daniele De Iuliis**, San Francisco, CA (US); **Richard P. Howarth**, San Francisco, CA (US); **Jonathan P. Ive**, San Francisco, CA (US); **Steve Jobs**, Palo Alto, CA (US); **Duncan Robert Kerr**, San Francisco, CA (US); **Shin Nishibori**, San Francisco, CA (US); **Matthew Dean Rohrbach**, San Francisco, CA (US); **Douglas B. Satzger**, Menlo Park, CA (US); **Calvin Q. Seid**, Palo Alto, CA (US); **Christopher J. Stringer**, Woodside, CA (US); **Eugene Antony Whang**, San Francisco, CA (US); **Rico Zorkendorfer**, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/296,491**

(22) Filed: **Oct. 22, 2007**

Related U.S. Application Data

(63) Continuation of application No. 29/265,951, filed on Sep. 11, 2006, now Pat. No. Des. 558,571.

(51) **LOC (9) Cl.** **09-02**

(52) **U.S. Cl.** **D9/432**

(58) **Field of Classification Search** D9/430–433, D9/414–418; 229/105–106, 108, 108.1, 229/100, 112–113, 115–116, 110, 162.1, 229/922, 938; 206/551, 746, 457, 784, 822
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,315,593 A * 9/1919 Binder 229/125.08

D111,649 S * 10/1938 di Domenico D9/418
D114,891 S * 5/1939 Fogel D9/418
D246,439 S 11/1977 Lynn et al.
D248,621 S 7/1978 Hay et al.
D397,552 S 9/1998 Rutledge
D406,463 S 3/1999 Rutledge
D411,448 S * 6/1999 Baker D9/415
D417,391 S * 12/1999 Szczepanski et al. D9/423
D541,045 S * 4/2007 Peart et al. D3/291
D558,571 S 1/2008 Andre et al.
D558,572 S 1/2008 Andre et al.

FOREIGN PATENT DOCUMENTS

EM	546403-0001	8/2006
JP	61-40925	3/1986
KR	30-0267299	12/2000
TW	0488766	7/1990
TW	D105819	8/2005

OTHER PUBLICATIONS

U.S. Appl. No. 29/265,952, filed Sep. 11, 2006.
U.S. Appl. No. 11/849,176 entitled “Packaging” filed Aug. 31, 2007.
U.S. Appl. No. 29/296,890 entitled “Package” filed Oct. 30, 2007.
U.S. Appl. No. 29/296,791 entitled “Package” filed Oct. 29, 2007.
U.S. Appl. No. 29/296,502 entitled “Package” filed Oct. 22, 2007.
U.S. Appl. No. 29/284,343 entitled “Packaging” filed Sep. 5, 2007.

* cited by examiner

Primary Examiner—Robert A Delehanty

(74) *Attorney, Agent, or Firm*—Sterne, Kessler, Goldstein & Fox PLLC

(57) **CLAIM**

We claim the ornamental design for a package, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a package in accordance with the present design. The package can, for example, be used to package a first electronic device such as a media device (e.g., media player).

FIG. 2 is a front view for the package with the first electronic device.




FIG. 3 is a side view for the package with the first electronic device.

FIG. 4 is a top or bottom view for the package with the first electronic device.

FIG. 5 is an exploded perspective view of the package showing a lid, first electronic device, first electronic device holder, insert box and base.

FIG. 6 is a front view of the first electronic device holder.

FIG. 7 is a rear view of the first electronic device holder.

FIG. 8 is a left or right side view of the first electronic device holder.

FIG. 9 is a top or bottom view of the first electronic device holder.

FIG. 10 is another perspective view of the package in accordance with the present design. The package can, for example, be used to package a second electronic device such as a media device (e.g., media player).

FIG. 11 is a front view for the package with the second electronic device.

FIG. 12 is a side view for the package with the second electronic device.

FIG. 13 is a top or bottom view for the package with the second electronic device.

FIG. 14 is an exploded perspective view of the package showing a lid, a second electronic device, second electronic device holder, insert box and base.

FIG. 15 is a front view of the second electronic device holder.

FIG. 16 is a rear view of the second electronic device holder.

FIG. 17 is a left or right side view of the second electronic device holder; and,

FIG. 18 is a top or bottom view of the second electronic device holder.

The features shown in broken lines in the various Figures are for illustrating environmental structure and form no part of the claimed design.

More generally, the invention pertains to package for an article of manufacture such as a media device or an electronic device.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17




FIG. 18