



US00D584176S

(12) **United States Design Patent**  
**Maruyama et al.**

(10) **Patent No.:** **US D584,176 S**

(45) **Date of Patent:** **\*\* Jan. 6, 2009**

(54) **PEDOMETER**

D447,067 S \* 8/2001 Vollenweider ..... D10/70  
D555,019 S \* 11/2007 Au Yeung ..... D10/70

(75) Inventors: **Kazuhiro Maruyama**, Kyoto (JP);  
**Noriko Akita**, Kyoto (JP)

\* cited by examiner

(73) Assignee: **Nintendo Co., Ltd.**, Kyoto-Shi (JP)

*Primary Examiner*—Antoine D Davis

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye, P.C.

(21) Appl. No.: **29/300,977**

(57) **CLAIM**

(22) Filed: **Jun. 6, 2008**

The ornamental designs for a pedometer, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Dec. 7, 2007 (JP) ..... 2007-033613

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70**

(58) **Field of Classification Search** ..... D10/70;  
235/105; 377/5, 24.2, 26; 73/514.33, 514.34;  
702/155, 160, 176, 78, 79, 82, 91, 92-95,  
702/104, 116, 141, 150, 151, 154; 324/522  
See application file for complete search history.

FIG. 1 is a front, top and right perspective view of a pedometer of our new design;

FIG. 2 is a rear, bottom and left perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a left side view thereof; and,


FIG. 8 is a right side view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D414,439 S 9/1999 Sugino

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3







FIG. 4




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**