



US00D584295S

(12) **United States Design Patent**
Kellar

(10) **Patent No.:** **US D584,295 S**

(45) **Date of Patent:** **** Jan. 6, 2009**

(54) **MICPOD FOR AUDIO DETECTION**

(75) Inventor: **Kevin P. Kellar**, Austin, TX (US)

(73) Assignee: **LifeSize Communications, Inc.**, Austin, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/296,351**

(22) Filed: **Oct. 18, 2007**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/228**

(58) **Field of Classification Search** D14/188,
D14/225, 226, 227, 228, 229, 299, 114, 154;
181/158, 240, 242; 381/91, 119, 112, 159,
381/177, 168, 169, 183, 184, 180, 367, 385;
379/368, 430, 431; 455/347, 351

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,104,433	A *	1/1938	Marshall	381/177
2,199,432	A *	5/1940	Horkheimer	381/173
2,325,117	A *	7/1943	Faley	381/184
2,900,453	A *	8/1959	Cammack	381/355
3,007,013	A *	10/1961	Paull et al.	381/180
4,449,236	A *	5/1984	Walker, Jr.	381/91
D283,891	S *	5/1986	Parshad et al.	D14/228
D304,944	S *	12/1989	Behringer	D14/188
4,887,693	A *	12/1989	Plice	181/242
D327,479	S *	6/1992	Britz	D14/225
D332,098	S *	12/1992	Riley et al.	D14/225
D334,387	S	3/1993	Bostock et al.		
D346,598	S *	5/1994	McCay et al.	D14/137
5,343,523	A *	8/1994	Bartlett et al.	379/430

D351,840	S	10/1994	Hillier et al.		
5,371,804	A *	12/1994	Bauer	381/367
D355,416	S *	2/1995	McCay et al.	D14/137
D381,024	S	7/1997	Hinzmann et al.		
D385,281	S *	10/1997	Volan et al.	D14/227
5,684,883	A *	11/1997	Chen	381/385
D403,328	S *	12/1998	Wakefield	D14/229
D415,162	S *	10/1999	Chen	D14/227
D433,013	S *	10/2000	Yuyama et al.	D14/227
D438,860	S *	3/2001	Darbut et al.	D14/226
D456,383	S *	4/2002	Chen	D14/188
D481,709	S *	11/2003	Solderits	D14/228
D538,793	S *	3/2007	Ma et al.	D14/225
D574,368	S *	8/2008	Chapman	D14/225

* cited by examiner

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Meyertons Hood Kivlin Kowert & Goetzel, P.C.; Jeffrey C. Hood

(57) **CLAIM**

The ornamental design for a micpod for audio detection, as shown and described.

DESCRIPTION

FIG. 1 is a front left top perspective view of a micpod for audio detection showing my new design, the cord is drawn broken away for purposes of illustration;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;



FIG. 4 is a front view thereof;

FIG. 5 is a back view thereof;

FIG. 6 is a right view thereof; and,

FIG. 7 is a left view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7