



US00D584376S

(12) **United States Design Patent**  
**Peters et al.**

(10) **Patent No.:** **US D584,376 S**  
(45) **Date of Patent:** **\*\* Jan. 6, 2009**

(54) **TARGETING DISPLAY FOR A  
RANGEFINDER, RIFLESCOPE, OR OTHER  
AIMED OPTICAL DEVICE**

(75) Inventors: **Victoria J. Peters**, Forest Grove, OR  
(US); **Andrew W. York**, Portland, OR  
(US); **Michael Slack**, Portland, OR (US)

(73) Assignee: **Leupold & Stevens, Inc.**, Beaverton,  
OR (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/298,778**

(22) Filed: **Dec. 12, 2007**

**Related U.S. Application Data**

(62) Division of application No. 29/241,892, filed on Nov.  
1, 2005, now Pat. No. Des. 562,428.

(51) **LOC (9) Cl.** ..... **22-01**

(52) **U.S. Cl.** ..... **D22/108**

(58) **Field of Classification Search** ..... D22/108;  
33/227, 245-246, 297, 298; D16/13, 132,  
D16/134; 42/122, 111, 113, 130, 124, 134-145;  
235/414; 356/21; 421/122; 89/161, 41,  
89/19, 200-204; 350/550; 359/424, 428  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,190,121 A 7/1916 Critchett  
1,406,620 A 2/1922 Dear  
1,428,389 A \* 9/1922 Miller ..... 42/133

2,171,571 A 9/1939 Karnes  
2,464,521 A 3/1949 McCall  
3,058,391 A 10/1962 Leupold  
3,190,003 A 6/1965 O'Brien  
3,297,389 A 1/1967 Gibson  
3,313,026 A 4/1967 Akin, Jr.  
3,381,380 A 5/1968 Thomas  
3,392,450 A 7/1968 Herter et al.  
3,431,652 A 3/1969 Leatherwood

(Continued)

**OTHER PUBLICATIONS**

Kahles GmbH, TDS Tri-Factor Reticle System, [www.kahlesoptik.com/products/tds\\_reticle.html](http://www.kahlesoptik.com/products/tds_reticle.html), visited Oct. 15, 2003, 2 pgs.

(Continued)

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Melanie Levy

(74) *Attorney, Agent, or Firm*—Stoel Rives LLP

(57) **CLAIM**



We claim the ornamental design for a targeting display for a  
rangefinder, rifle scope, or other aimed optical device, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a view of a targeting display for a rangefinder,  
rifle scope, or other aimed optical device in a first configura-  
tion, showing the reticle of the targeting display in accordance  
with a first embodiment; and,

FIG. 2 is a view of the targeting display of FIG. 1 in a second  
configuration, showing the reticle of the targeting display in  
accordance with a second embodiment.

**1 Claim, 1 Drawing Sheet**








FIG. 1




FIG. 2