



US00D584542S

(12) **United States Design Patent**
Martin et al.

(10) **Patent No.:** **US D584,542 S**
(45) **Date of Patent:** **** Jan. 13, 2009**

(54) **WORKSURFACE ASSEMBLY**

(75) Inventors: **Kirt D. Martin**, Alto, MI (US); **Daniel E. Waugh**, Grand Rapids, MI (US); **David C. Eberlein**, Hudsonville, MI (US)

(73) Assignee: **Steelcase Development Corporation**, Grand Rapids, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/280,822**

(22) Filed: **Jun. 7, 2007**

(51) **LOC (9) Cl.** **06-03**

(52) **U.S. Cl.** **D6/484**

(58) **Field of Classification Search** D6/480-489,
D6/495-499, 477, 479; 108/50.01, 50.02,
108/150, 153.1, 155, 156, 161, 157.1; 248/188,
248/188.1, 188.7, 188.8


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,251,719 A 1/1918 Wege
1,258,773 A 3/1918 Hoffman et al.
1,696,456 A 12/1928 Sebring
1,786,823 A 12/1930 Carrington et al.
2,223,023 A 11/1940 Weilemann
2,276,636 A 3/1942 Weber
2,877,511 A 3/1959 Viola
3,000,682 A 9/1961 Loew et al.
3,189,140 A 6/1965 Luss
3,438,688 A 4/1969 Ferdinand et al.
3,490,824 A 1/1970 Bartlett et al.
3,563,624 A 2/1971 Stice
D220,704 S * 5/1971 Kramer D6/484
3,601,912 A 8/1971 Dobbs
3,635,174 A 1/1972 Ball et al.
3,636,661 A 1/1972 Strawsine
3,736,035 A 5/1973 Brown et al.
3,852,916 A 12/1974 Laby
3,883,202 A 5/1975 Konig

D236,787 S * 9/1975 Stirling D6/477
3,945,742 A 3/1976 Condevaux
3,966,338 A 6/1976 Ghyczy
D242,102 S * 11/1976 Stirling D6/484
4,009,796 A 3/1977 Schmidt
D244,114 S * 4/1977 Neff D6/484
4,094,256 A 6/1978 Holper et al.
4,148,535 A 4/1979 Fenwick
4,296,981 A 10/1981 Hildebrandt et al.
4,323,291 A 4/1982 Ball
4,463,057 A 7/1984 Kniirr
RE31,733 E 11/1984 Haworth et al.
4,535,577 A 8/1985 Tenser et al.
4,603,787 A 8/1986 Essary
4,619,486 A 10/1986 Hannah et al.
4,639,049 A 1/1987 Frascaroli et al.
4,653,652 A 3/1987 Avati
4,734,826 A 3/1988 Wilson et al.
4,747,248 A 5/1988 Fahs
4,778,487 A 10/1988 Chenel
4,792,881 A 12/1988 Wilson et al.
4,798,423 A 1/1989 LaCour
4,882,885 A 11/1989 Chatterson et al.
4,948,205 A 8/1990 Kelley
4,998,636 A 3/1991 Hardigg
5,024,167 A 6/1991 Hayward
5,046,791 A 9/1991 Kooiman
5,173,001 A 12/1992 Schunke
5,214,890 A 6/1993 Levitan et al.
5,231,562 A 7/1993 Pierce et al.
5,237,935 A 8/1993 Newhouse et al.
5,265,972 A 11/1993 Bahr
5,277,005 A 1/1994 Hellwig et al.
5,277,007 A 1/1994 Hellwig et al.
5,328,260 A 7/1994 Beirise
5,428,928 A 7/1995 Hellwig et al.
5,466,058 A 11/1995 Chan
5,467,703 A 11/1995 Crinion
5,720,547 A 2/1998 Baird
5,791,265 A 8/1998 Ellsworth et al.
5,853,236 A 12/1998 Rogers et al.
5,860,713 A 1/1999 Richardson
5,901,513 A 5/1999 Mollenkopf et al.
5,971,508 A 10/1999 Deimen et al.
6,039,420 A 3/2000 Besserer et al.
6,047,508 A 4/2000 Goodman et al.
6,134,852 A 10/2000 Shipman et al.
6,158,178 A 12/2000 Jeffers et al.
6,202,567 B1 3/2001 Funk et al.



6,216,606	B1	4/2001	Kathardekar et al.	
6,253,509	B1	7/2001	Hellwig et al.	
6,283,043	B1	9/2001	Stern et al.	
6,327,983	B1	12/2001	Cronk et al.	
6,427,608	B1	8/2002	Crinion	
6,712,433	B2	3/2004	Hellwig et al.	
6,751,914	B2	6/2004	Zeh et al.	
6,877,824	B2	4/2005	Winkless	
6,951,085	B2	10/2005	Hodges et al.	
7,100,999	B2	9/2006	Stravitz	
D558,489	S *	1/2008	Christensen	D6/484
D558,490	S *	1/2008	Christensen	D6/484
2003/0222545	A1	12/2003	Stravitz	
2005/0115178	A1	6/2005	Schmidt	
2005/0280339	A1	12/2005	Perkins et al.	

* cited by examiner

Primary Examiner—Janice E Seeger

(74) *Attorney, Agent, or Firm*—Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a worksurface assembly, as shown and described.

DESCRIPTION

In a preferred embodiment, the nature of this product is a worksurface assembly that is part of a modular office furniture system.

FIG. 1 is a top, front, left perspective view of a first embodiment of a worksurface assembly embodying our new design;

FIG. 2 is a front elevational view of the embodiment of FIG. 1, the rear elevational view of the embodiment of FIG. 1 being identical to the front elevational view of the embodiment of FIG. 1;

FIG. 3 is a front elevational view of a second embodiment of a worksurface assembly embodying our new design, the rear elevational view of the embodiment of FIG. 3 being identical to the front elevational view of the embodiment of FIG. 3, the top, front, left perspective view of the embodiment of FIG. 3 being identical to the top, front, left perspective view of the embodiment of FIG. 1;

FIG. 4 is a right side elevational view of the embodiment of FIG. 1 and of the embodiment of FIG. 3, the left side elevational view of the embodiment of FIG. 1 and of the embodiment of FIG. 3 being identical to the right side elevational view of the embodiment of FIG. 1 and of the embodiment of FIG. 3;

FIG. 5 is a top plan view of the embodiment of FIG. 1 and the embodiment of FIG. 3;

FIG. 6 is a bottom plan view of the embodiment of FIG. 1 and the embodiment of FIG. 3;

FIG. 7 is a top, front, left perspective view of a third embodiment of a worksurface assembly embodying our new design, the top plan view of the embodiment of FIG. 7 being identical to the view of FIG. 5, the bottom plan view of the embodiment of FIG. 7 being identical to the view of FIG. 6;

FIG. 8 is a front elevational view of the embodiment of FIG. 7, the rear elevational view of the embodiment of FIG. 7 being identical to the front elevational view of the embodiment of FIG. 7;

FIG. 9 is a front elevational view of a fourth embodiment of a worksurface assembly embodying our new design, the rear elevational view of the embodiment of FIG. 9 being identical to the front elevational view of the embodiment of FIG. 9, the top, front, left perspective view of the embodiment of FIG. 9 being identical to the top, front, left perspective view of the embodiment of FIG. 7, the top plan view of the embodiment of FIG. 9 being identical to the view of FIG. 5, the bottom plan view of the embodiment of FIG. 9 being identical to the view of FIG. 6;

FIG. 10 is a right side elevational view of the embodiment of FIG. 7 and of the embodiment of FIG. 9, the left side elevational view of the embodiment of FIG. 7 and of the embodiment of FIG. 9 being identical to the right side elevational view of the embodiment of FIG. 7 and of the embodiment of FIG. 9;

FIG. 11 is a top, front, left perspective view of a fifth embodiment of a worksurface assembly embodying our new design; FIG. 12 is a front elevational view of the embodiment of FIG. 11;

FIG. 13 is a front elevational view of a sixth embodiment of a worksurface assembly embodying our new design, the top, front, left perspective view of the embodiment of FIG. 13 being identical to the top, front, left perspective view of the embodiment of FIG. 11;

FIG. 14 is a left side elevational view of the embodiment of FIG. 11 and of the embodiment of FIG. 13;

FIG. 15 is a right side elevational view of the embodiment of FIG. 11 and of the embodiment of FIG. 13;

FIG. 16 is a top plan view of the embodiment of FIG. 11 and of the embodiment of FIG. 13;

FIG. 17 is a rear elevational view of the embodiment of FIG. 11;

FIG. 18 is a rear elevational view of the embodiment of FIG. 13;

FIG. 19 is a bottom plan view of the embodiment of FIG. 11 and of the embodiment of FIG. 13;

FIG. 20 is a top, front, left perspective view of a seventh embodiment of a worksurface assembly embodying our new design, the top plan view of the embodiment of FIG. 20 being identical to the view of FIG. 5, the bottom plan view of the embodiment of FIG. 20 being identical to the view of FIG. 19;

FIG. 21 is a front elevational view of the embodiment of FIG. 20;

FIG. 22 is a front elevational view of an eighth embodiment of a worksurface assembly embodying our new design, the top, front, left perspective view of the embodiment of FIG. 22 being identical to the top, front, left perspective view of the embodiment of FIG. 20, the top plan view of the embodiment of FIG. 22 being identical to the view of FIG. 5, the bottom plan view of the embodiment of FIG. 22 being identical to the view of FIG. 19;

FIG. 23 is a left side elevational view of the embodiment of FIG. 20 and of the embodiment of FIG. 22;

FIG. **24** is a right side elevational view of the embodiment of FIG. **20** and of the embodiment of FIG. **22**;

FIG. **25** is a rear elevational view of the embodiment of FIG. **20**; and,

FIG. **26** is a rear elevational view of the embodiment of FIG. **22**.

The broken line representations of vertical panel structure in FIGS. **2, 3, 4, 6, 8, 9, 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 23, 24, 25, 26**, and of shelf structure in FIGS. **11, 20**, are for the purpose of illustration only, and form no part of the claimed design.

1 Claim, 19 Drawing Sheets

FIG. 1





FIG. 4






FIG. 2




FIG. 3




FIG. 5




FIG. 6

FIG. 7





FIG. 10






FIG. 8




FIG. 9




FIG. 11




FIG. 12




FIG. 13




FIG. 15




FIG. 14

FIG. 19





FIG. 16






FIG. 17




FIG. 18




FIG. 20




FIG. 23




FIG. 24




FIG. 21




FIG. 22




FIG. 25




FIG. 26