



US00D584609S

(12) **United States Design Patent**
Kotler

(10) **Patent No.:** **US D584,609 S**
(45) **Date of Patent:** **** Jan. 13, 2009**

(54) **PACKAGE**

(75) Inventor: **Joseph Kotler**, Petach Tikva (IL)

(73) Assignee: **Careline (Pharmagis) Ltd.**, Bnei Brak (IL)

(**) Term: **14 Years**

(21) Appl. No.: **29/317,663**

(22) Filed: **May 5, 2008**

Related U.S. Application Data

(62) Division of application No. 29/283,901, filed on Aug. 27, 2007, now Pat. No. Des. 578,384.

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.** **D9/418; D9/430**

(58) **Field of Classification Search** D9/414–418,
D9/420–426, 430–432, 761, 737, 757; D7/357,
D7/629, 602, 553.1–553.8, 538, 591, 615;
206/315.9, 485, 521.1, 539, 564, 541, 546,
206/588, 766, 779; 220/23.8, 23.83, 315,
220/324, 326, 367, 556, 4.21, 4.23, 835,
220/839; 229/406, 902–904, 906, 407, 110;
D6/470, 397, 441

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,113,288 A * 4/1938 Berger 229/107
D229,394 S * 11/1973 de Givenchy D9/739
3,770,116 A * 11/1973 Cote 206/780
D244,259 S * 5/1977 Bergstein D9/418
4,109,786 A * 8/1978 Roccaforte et al. 206/783
D259,922 S * 7/1981 Seki D9/418
D297,710 S * 9/1988 Scherer D9/739
D310,967 S * 10/1990 Roethling D9/418
D332,744 S * 1/1993 McCooey D9/415
D367,226 S * 2/1996 Ransbottom D9/418
D455,956 S * 4/2002 Thompson et al. D9/418
D472,466 S * 4/2003 Weinstein et al. D9/430
D472,467 S * 4/2003 Weinstein et al. D9/430
D498,673 S * 11/2004 Weiss D9/418
D546,669 S * 7/2007 Sheppard et al. D9/418

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Schweitzer Cornman Gross & Bondell LLP

(57) **CLAIM**

The ornamental design for a package, as shown and described.

DESCRIPTION

FIG. 1 is a front right side perspective view of a package of the design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front right side perspective view of a package bearing a second embodiment of the design;

FIG. 9 is a front elevation view thereof;

FIG. 10 is a left side elevation view thereof;

FIG. 11 is a right side elevation view thereof;

FIG. 12 is a rear elevation view thereof;

FIG. 13 is a top plan view thereof;

FIG. 14 is a bottom plan view thereof;

FIG. 15 is a front right side perspective view of a package bearing a third embodiment of the design;

FIG. 16 is a front elevation view thereof;

FIG. 17 is a left side elevation view thereof;

FIG. 18 is a right side elevation view thereof;

FIG. 19 is a rear elevation view thereof;

FIG. 20 is a top plan view thereof; and,

FIG. 21 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 6




FIG. 7




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 13




FIG. 14




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

