



US00D584689S

(12) **United States Design Patent**
Slawson et al.

(10) **Patent No.:** **US D584,689 S**
(45) **Date of Patent:** **** Jan. 13, 2009**

(54) **AUXILIARY POWER INTERFACE FOR A
PORTABLE ILLUMINATOR ASSEMBLY**

(75) Inventors: **Steven R. Slawson**, Camillus, NY (US);
Michael T. McMahon, Syracuse, NY
(US); **Susan E. Dubay**, Syracuse, NY
(US); **Scott W. Osiecki**, Skaneateles, NY
(US); **Donwoong Kang**, Camillus, NY
(US)

(73) Assignee: **Welch Allyn, Inc.**, Skaneateles Falls, NY
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/285,517**

(22) Filed: **Mar. 30, 2007**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/133; D13/153**

(58) **Field of Classification Search** D13/133,
D13/137.1–139.7, 146, 147, 153, 154, 184,
D13/199; 439/38, 353, 357–358, 362, 372,
439/558, 606–610, 731
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,320,560	A *	6/1994	Fladung		439/490
5,475,271	A	12/1995	Shibasaki et al.		
5,955,797	A	9/1999	Kim		
6,737,830	B2	5/2004	Bean et al.		
6,863,555	B2 *	3/2005	Ito		439/353
6,876,173	B2	4/2005	Mastaler et al.		
6,897,370	B2 *	5/2005	Kondo et al.		136/243
6,920,575	B2	7/2005	Odaohhara		
6,923,688	B1	8/2005	Burson et al.		
D516,028	S *	2/2006	Deng		D13/133
7,059,769	B1	6/2006	Potega		
7,075,270	B1	7/2006	Blum		
D553,087	S *	10/2007	Ashida et al.		D13/133
D553,567	S *	10/2007	Kawanobe		D13/133
D559,183	S *	1/2008	Victor		D13/133
D562,769	S *	2/2008	Ashida et al.		D13/133

D563,872	S *	3/2008	Lee et al.		D13/133
2002/0108932	A1	8/2002	Holland et al.		
2003/0186592	A1	10/2003	Potega		
2003/0207603	A1	11/2003	Potega		
2004/0009702	A1	1/2004	Potega		

FOREIGN PATENT DOCUMENTS

WO	WO-2006/107877	A2	10/2006
WO	WO-2006/107878	A2	10/2006
WO	WO-2006/121530	A2	11/2006

OTHER PUBLICATIONS

U.S. Appl. No. 29/268,467, filed Nov. 7, 2006, Steven Slawson.

* cited by examiner

Primary Examiner—Daniel D Bui

Assistant Examiner—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Hiscock & Barclay, LLP

(57) **CLAIM**

The ornamental design for an auxiliary power interface for a portable illuminator assembly, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of an auxiliary power interface for a portable illuminator assembly, illustrating our new Design;

FIG. 2 is a front side view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a back view thereof;


FIG. 6 is a bottom view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a front side view of FIG. 2 in a usage condition.

The broken line portion of FIGS. 1 through 5 and FIG. 7 is included to show the unclaimed cable; the broken line shown in FIG. 8 shows the unclaimed cable and also the unclaimed portable illuminator. All of the subject matter rendered in broken line is unclaimed and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets












FIG.8

