

US00D584751S

(12) **United States Design Patent**
Schreck

(10) **Patent No.:** **US D584,751 S**

(45) **Date of Patent:** **** Jan. 13, 2009**

(54) **NOZZLE**

(75) Inventor: **Hans Schreck**, Burgwald-Bottendorf
(DE)

(73) Assignee: **Heitec-Heisskanaltechnik GmbH**,
Burgwald-Bottendorf (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/286,983**

(22) Filed: **May 23, 2007**

(30) **Foreign Application Priority Data**

Nov. 24, 2006 (EM) 000626155

(51) **LOC (9) Cl.** **15-09**

(52) **U.S. Cl.** **D15/135; D15/138**

(58) **Field of Classification Search** D8/70;
D15/135, 136, 138, 144, 144.1, 144.2; D23/213,
D23/226; 219/119, 120, 121.39, 121.48,
219/121.49, 121.5, 121.51, 121.52, 121.55,
219/121.57, 121.59; 264/328.15; 425/549,
425/562, 563, 564, 565, 566
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,285,660 A * 8/1981 Mueller 425/549
4,635,851 A * 1/1987 Zecman 239/133
D365,345 S * 12/1995 Carkhuff D15/144
5,980,236 A * 11/1999 Gellert et al. 425/549
D447,217 S * 8/2001 Jacobs et al. D23/226
D451,113 S * 11/2001 Shintani et al. D15/144
6,354,826 B1 * 3/2002 Thomas 425/130
D469,847 S * 2/2003 Schroeder et al. D23/213
6,609,902 B1 * 8/2003 Blais et al. 425/549

D497,407 S * 10/2004 Mather D23/213
6,805,549 B2 * 10/2004 Gunther 425/549
D520,037 S * 5/2006 Furujo et al. D15/144
7,175,416 B2 * 2/2007 Baresich et al. 425/549
7,217,120 B2 * 5/2007 Noot 425/549
7,367,796 B2 * 5/2008 Ernich 425/549
2003/0003188 A1 * 1/2003 Gunther 425/549
2003/0209833 A1 * 11/2003 Bemis et al. 264/328.8
2003/0211199 A1 * 11/2003 Eigler et al. 425/571
2005/0048161 A1 * 3/2005 Trakas 425/549
2007/0237854 A1 * 10/2007 Yu 425/572
2007/0264386 A1 * 11/2007 Guenther et al. 425/549
2008/0095880 A1 * 4/2008 Paulmann et al. 425/568

* cited by examiner

Primary Examiner—Sandra Snapp

Assistant Examiner—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Blakely, Sokoloff, Taylor &
Zafman LLP

(57) **CLAIM**

The ornamental design for a nozzle, as shown and described.

DESCRIPTION

FIG. 1 of the drawings is a front view of a nozzle incorporat-
ing the new design.

FIG. 2 of the drawings is a right side view thereof.

FIG. 3 of the drawings is a left side view thereof.

FIG. 4 of the drawings is a back view thereof.


FIG. 5 of the drawings is a top view thereof.

FIG. 6 of the drawings is a bottom view thereof; and,

FIG. 7 of the drawings is an isometric view thereof.

The interior aperture of the nozzle shown in broken lines in
FIG. 6, forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7