



US00D584797S

(12) **United States Design Patent**  
**Matsumoto et al.**

(10) **Patent No.:** **US D584,797 S**  
(45) **Date of Patent:** **\*\* Jan. 13, 2009**

(54) **ELECTROMAGNETIC VALVE**

D564,631 S \* 3/2008 Miyazoe et al. .... D23/233

(75) Inventors: **Takumi Matsumoto**, Tsukubamirai (JP);  
**Kenichi Matsumura**, Tsukubamirai (JP)

\* cited by examiner

(73) Assignee: **SMC Corporation**, Chiyoda-ku, Tokyo  
(JP)

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Maurice Stevens

(74) *Attorney, Agent, or Firm*—Yokoi & Co., U.S.A., Inc.;  
Peter Ganjian

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/273,080**

(57) **CLAIM**

(22) Filed: **Feb. 26, 2007**

The ornamental design for an electromagnetic valve, as shown and described.

(30) **Foreign Application Priority Data**

Aug. 30, 2006 (JP) ..... 2006-023065

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **23-01**

FIG. 1 shows a front view of an electromagnetic valve showing my new design;

(52) **U.S. Cl.** ..... **D23/233**

FIG. 2 shows a rear view thereof;

(58) **Field of Classification Search** ..... D23/233-237;  
D15/5, 7, 199; 137/554, 557, 560, 882, 884,  
137/343, 625.64, 269, 271; 251/331, 219,  
251/15, 130, 129.04; 4/505

FIG. 3 shows a top view thereof;

FIG. 4 shows a bottom view thereof;

FIG. 5 shows a left side view thereof;

FIG. 6 shows a right side view thereof;

FIG. 7 shows a perspective view thereof; and,

FIG. 8 shows a perspective view thereof.

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D563,523 S \* 3/2008 Matsumoto et al. .... D23/233

D564,629 S \* 3/2008 Miyazoe et al. .... D23/233

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2






FIG. 5




FIG. 6




FIG. 7




FIG. 8

