



US00D584829S

(12) **United States Design Patent**  
**Herbots**

(10) **Patent No.:** **US D584,829 S**  
(45) **Date of Patent:** **\*\* Jan. 13, 2009**

(54) **BUILDING MATERIAL**

(75) Inventor: **Henri Herbots**, Wemmel (BE)

(73) Assignee: **SISMO, naamloze vennootschap**,  
Kalken-Laarne (BE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/287,249**

(22) Filed: **Jul. 13, 2007**

(30) **Foreign Application Priority Data**

Jan. 17, 2007 (EM) ..... 000653381

(51) **LOC (9) Cl.** ..... **25-03**

(52) **U.S. Cl.** ..... **D25/1**

(58) **Field of Classification Search** ..... D25/1,  
D25/55, 58, 61, 35, 199; 52/79.1, 79.4, 79.6,  
52/143

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,272,930 A \* 6/1981 Foster ..... 52/79.1

4,569,167 A \* 2/1986 Staples ..... 52/92.2  
2004/0025449 A1 \* 2/2004 Johns et al. .... 52/143  
2006/0168901 A1 \* 8/2006 Window ..... 52/79.1

\* cited by examiner

*Primary Examiner*—Louis S Zarfaz

*Assistant Examiner*—Kathleen M Sims

(74) *Attorney, Agent, or Firm*—Bacon & Thomas, PLLC.

(57) **CLAIM**

The ornamental design for a building material, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper left perspective view of a building material according to my design;

FIG. 2 is a front elevation view thereof;


FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan view thereof, the bottom view corresponding thereto;

FIG. 5 is a left side view thereof; and,

FIG. 6 is a right side view thereof.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6