



US00D584849S

(12) **United States Design Patent**
Otero

(10) **Patent No.:** **US D584,849 S**
(45) **Date of Patent:** **** Jan. 13, 2009**

(54) **LIGHTING FIXTURE**

(75) Inventor: **Federico Otero**, Lima (PE)

(73) Assignee: **Boyd Lighting Fixture Company**, San Francisco, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/320,334**

(22) Filed: **Jun. 25, 2008**

Related U.S. Application Data

(62) Division of application No. 29/295,116, filed on Sep. 21, 2007.

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/88; D26/118**

(58) **Field of Classification Search** D26/72,
D26/75-78, 85-89, 118-122; 362/147, 404,
362/407, 351, 360, 347, 350; D25/58
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D5,840 S *	5/1872	Ingalls	D25/58
D40,388 S *	12/1909	Lightbody	D25/58
D104,383 S *	5/1937	Sibbert	D26/121
D129,135 S	8/1941	Vacha	D26/121
2,299,256 A	10/1942	Schultz	D26/121
D142,960 S	11/1945	Lee	D26/121
D167,816 S	9/1952	Steeber	D26/85
D174,373 S *	4/1955	Bell	D25/58
2,906,864 A	9/1959	Boutelle	362/354
2,937,265 A *	5/1960	Blitzer	362/356
D199,524 S *	11/1964	Keller	D25/58
3,210,535 A *	10/1965	Fuchs	362/255
3,313,932 A *	4/1967	Deaton	362/354
D215,558 S *	10/1969	Schwartz et al.	D26/121
D215,585 S *	10/1969	Bogan, Jr.	D25/58
D233,468 S	10/1974	Shemitz	D26/75
D233,553 S *	11/1974	Seery	D25/58
4,621,310 A *	11/1986	Keating	362/344

D352,798 S	11/1994	Her	D26/82
D411,634 S	6/1999	Connelly	D26/24
D459,525 S	6/2002	Barry	D26/88
D558,386 S	12/2007	Bickler et al.	D26/89
D566,878 S	4/2008	Duffy et al.	D26/85

OTHER PUBLICATIONS

Catacaos Room Divider, designer Federico Otero, 4-pages, 2005.
Otero, U.S. Appl. No. 29/295,116, filed Sep. 21, 2006, entitled
"Lighting Fixture".

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley &
Mesiti P.C.

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a lighting
fixture comprising the new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, a left side
elevational view being a mirror image thereof;

FIG. 4 is bottom view thereof;

FIG. 5 is a perspective view of a second embodiment of
lighting fixture comprising the new design having a translu-
cent layer behind the circles;

FIG. 6 is a front elevational view thereof;


FIG. 7 is a right side elevational view thereof, a left side
elevational view being a mirror image thereof; and,

FIG. 8 is bottom view thereof.

The showing of circles in FIG. 5 extends along the front as
shown in FIG. 6.

The broken lines in the figures are for illustration purposes
only and form no part of the claimed invention.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8