



US00D584854S

(12) **United States Design Patent**
Blum et al.

(10) **Patent No.:** **US D584,854 S**
(45) **Date of Patent:** **** Jan. 13, 2009**

(54) **CONTAINER ASSEMBLY COMPRISING A
BASE, FLUID DISPENSERS AND
MEASURING CYLINDERS**

(75) Inventors: **Thorsten Blum**, Darmstadt (DE);
Tobias Staehle, Pfungstadt (DE)

(73) Assignee: **Wella Aktiengesellschaft**, Darmstadt
(DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/264,605**

(22) Filed: **Aug. 11, 2006**

(30) **Foreign Application Priority Data**

Feb. 13, 2006 (DE) 40600818

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.** **D28/10; D28/73**

(58) **Field of Classification Search** D28/73,
D28/76-77, 82, 85-90; 132/293-307, 314,
132/317; 401/126-130; D6/457; 206/581,
206/823

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,831,885 A *	11/1931	Rogers		132/314
2,112,907 A *	4/1938	Gregory		401/128
D121,485 S *	7/1940	Spanel		D6/457
D229,997 S *	1/1974	Hoffman		D6/457
D293,943 S *	1/1988	Wadsworth et al.		D28/76
5,297,567 A *	3/1994	Summerville et al.		D28/38
5,370,232 A *	12/1994	Tiramani		206/581
D364,248 S *	11/1995	Su		D28/86
D423,112 S *	4/2000	Rosen		D28/73
6,695,513 B1 *	2/2004	Malek		401/129
D523,179 S *	6/2006	Py et al.		D28/88
D526,445 S *	8/2006	Ng		D28/76
D536,138 S *	1/2007	Py et al.		D28/88

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—DLA Piper LLP US

(57) **CLAIM**

The ornamental design for a container assembly comprising a base, fluid dispensers and measuring cylinders, as shown and described.

DESCRIPTION

The dispensers and measuring cylinders can be used to hold fluids such as hair coloring solutions, liquid hair styling products, and the like.

FIG. 1. is a perspective view of a container assembly comprising a base, fluid dispensers and measuring cylinders;

FIG. 2. is another perspective view of the container assembly;

FIG. 3. is a further perspective view of the container assembly;

FIG. 4. is a perspective view of a base of the container assembly;

FIG. 5. is a top plan view of the base;

FIG. 6. is a bottom plan view of the base;

FIG. 7. is a left side elevational view of one embodiment of the base;

FIG. 8. is a right side elevational view of the embodiment of FIG. 7;

FIG. 9. is a back elevational view of the embodiment of FIG. 7;

FIG. 10. is a front elevational view of the embodiment of FIG. 7;

FIG. 11. is a front elevational view of a fluid dispenser of the container assembly wherein the fluid dispenser comprises an upper portion and a lower portion;

FIG. 12. is a back elevational view of the fluid dispenser;

FIG. 13. is a left side elevational view of the fluid dispenser;

FIG. 14. is a right side elevational view of the dispenser;

FIG. 15. is a perspective view of the dispenser;

FIG. 16. is a top plan view of the dispenser;

FIG. 17. is a bottom plan view of the dispenser;




FIG. 18. is a front elevational view of an upper portion of the dispenser;

FIG. 19. is a back elevational view of the upper portion;

FIG. 20. is a left side elevational view of the upper portion;

FIG. 21. is a right side elevational view of the upper portion;

FIG. 22. is a perspective view of the upper portion;

FIG. 23. is a top plan view of the upper portion;

FIG. 24. is a bottom plan view of the upper portion;

FIG. 25. is a perspective view of a lower portion of the fluid dispenser;

FIG. 26. is a right side elevational view of the lower portion, wherein the left side is a mirror image of the right side;

FIG. 27. is a top plan view of the lower portion;

FIG. 28. is a bottom plan view of the lower portion;

FIG. 29. is a side elevational view of a measuring cylinder of the container assembly;

FIG. 30. is a perspective view of the measuring cylinder;

FIG. 31. is a top plan view of the measuring cylinder;

FIG. 32. is a bottom plan view of the measuring cylinder;

FIG. 33. is a side elevational view of another embodiment of the measuring cylinder;

FIG. 34. is a side elevational view of a further embodiment of the measuring cylinder; and,

FIG. 35. is a side elevational view of an additional embodiment of the measuring cylinder.

The single base is shown from multiple perspective views to capture both the top and equal sides of the base. A single dispenser and the upper and lower portions thereof are disclosed separately for convenience of illustration. It is understood that all ten dispensers form a part of the claimed design. It is also understood that the cylinders disclosed in FIGS. 33–35 are uniformly continuous around the circumference of the respective cylinder with the indicia only appearing on the respective side that is shown.

1 Claim, 18 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24



FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31



FIG. 32




FIG. 33




FIG. 34




FIG. 35