



US00D584892S

(12) **United States Design Patent**
Waring

(10) **Patent No.:** **US D584,892 S**
(45) **Date of Patent:** **** Jan. 20, 2009**

(54) **VITAMIN VAULT**

(76) **Inventor:** **William Waring**, 73186 Fiddleneck La.,
Palm Desert, CA (US) 92260

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/305,591**

(22) **Filed:** **Mar. 25, 2008**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/203.3**

(58) **Field of Classification Search** D3/203.3,
D3/203.2, 203.4, 201, 205; D9/730-736;
206/530-539; 220/4.21, 4.28, 23.2, 23.83,
220/524

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,062,445	A	12/1977	Moe	
D252,072	S	6/1979	Bridges	
4,776,489	A	10/1988	Tarlow et al.	
D304,905	S	* 12/1989	Zimmerman	 D3/203.3
D310,938	S	10/1990	Vigil	
5,163,559	A	* 11/1992	Bunin	 206/532

5,579,941	A	*	12/1996	Romick		206/538
5,685,460	A		11/1997	Vlastuin		
6,000,546	A	*	12/1999	Noble		206/538
D528,782	S	*	9/2006	Oas		D3/203.3
7,387,207	B2	*	6/2008	Priebe et al.		206/532
D576,404	S	*	9/2008	Cooper		D3/203.3

* cited by examiner

Primary Examiner—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—Kyle Fletcher

(57) **CLAIM**

The ornamental design for the vitamin vault, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the device.

FIG. 2 is a rear view of the device.


FIG. 3 is a side view of the device.

FIG. 4 is a top view of the device.

FIG. 5 is a bottom view of the device; and,

FIG. 6 is an isometric view of the device.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6