



US00D585053S

(12) **United States Design Patent**
Zeiss et al.

(10) **Patent No.:** **US D585,053 S**
(45) **Date of Patent:** **** Jan. 20, 2009**

(54) **JEWELRY ATTACHMENT MEMBER**

(76) Inventors: **Allison Lee Zeiss**, 145 W. 58 St., Apt. 2B, New York, NY (US) 10019; **Scott Martin**, 300 E. 57 St., Apt. 12H, New York, NY (US) 10022

(**) Term: **14 Years**

(21) Appl. No.: **29/283,813**

(22) Filed: **Aug. 24, 2007**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/283,690, filed on Aug. 21, 2007.

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/223**

(58) **Field of Classification Search** D14/205, D14/223, 229, 217, 449, 450, 250, 251, 252; D19/55, 56, 58, 54; D20/27, 43; D3/208; 24/11 M; 132/73; 211/70.5; 248/317, 74.1, 248/74.2, 229, 26; D8/18, 34, 40, 373, 382; D11/27, 183

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

388,519	A *	8/1888	Ahiquist	84/322
651,267	A *	6/1900	Pickett	81/15.2
1,289,952	A *	12/1918	Struble	132/73
1,404,906	A *	1/1922	Strahl	602/22
1,421,657	A *	7/1922	Alfred	24/11 M
1,504,650	A *	8/1924	Smith	29/280
1,634,772	A *	7/1927	Chrisman	24/11 M
D121,336	S *	7/1940	Kahn	D19/56
2,503,683	A *	4/1950	Perkins	81/3.55
4,351,075	A *	9/1982	Pittard, Jr.	7/138
D297,702	S *	9/1988	Persson	D8/14
D357,278	S *	4/1995	Turney	D19/56
D436,008	S *	1/2001	Klein et al.	D8/34
D469,753	S *	2/2003	Andre et al.	D14/205
D541,608	S *	5/2007	Nichols et al.	D8/42
D554,109	S *	10/2007	Ledbetter et al.	D14/223
D568,291	S *	5/2008	Andre et al.	D14/205

* cited by examiner

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—LackenBach Siegel, LLP

(57) **CLAIM**

The ornamental design for a jewelry attachment member, as shown and described.

DESCRIPTION

The present invention is a design for a jewelry attachment member for attachment to an ear-phone article.

FIG. 1 is a left perspective view of one embodiment of the present invention in combination with an external earbud article.

FIG. 2 is a left perspective view of the embodiment shown in FIG. 1.

FIG. 3 is a front elevational view of the embodiment shown in FIG. 1.

FIG. 4 is a back elevational view of the embodiment shown in FIG. 1.

FIG. 5 is a left side view of the embodiment shown in FIG. 1;

FIG. 6 is a top plan view of the embodiment in FIG. 1.

FIG. 7 is a bottom plan view of the embodiment in FIG. 1.

FIG. 8 is a right perspective view of a second embodiment of the present invention in combination with an external earbud article, as a mirror image of the left perspective view shown in FIG. 1.

FIG. 9 is a right perspective view of the embodiment shown in FIG. 8.

FIG. 10 is a front elevational view of the embodiment shown in FIG. 8.

FIG. 11 is a right side view of the embodiment shown in FIG. 8;


FIG. 12 is a back elevational view of the embodiment shown in FIG. 8;

FIG. 13 is a bottom plan view of the embodiment in FIG. 8; and,

FIG. 14 is a top plan view of the embodiment in FIG. 8.

The broken lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 9




Fig. 8




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14