



US00D585286S

(12) **United States Design Patent**  
**Rosinski et al.**

(10) **Patent No.:** **US D585,286 S**  
(45) **Date of Patent:** **\*\* Jan. 27, 2009**

(54) **BOTTLE**

(75) Inventors: **Andrzej Rosinski**, Bielsko-Biala (PL);  
**Michal Rosinski**, Bielsko-Biala (PL);  
**Joanna Rosinska**, Bielsko-Biala (PL)

(73) Assignee: **Reckitt Benckiser, N.V.**, Hoofddorp  
(NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/277,939**

(22) Filed: **Mar. 14, 2007**

(30) **Foreign Application Priority Data**

Oct. 13, 2006 (EM) ..... 000605050-0001  
Oct. 13, 2006 (EM) ..... 000605050-0002  
Oct. 13, 2006 (EM) ..... 000605050-0003

(51) **LOC (9) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/526; D9/550; D9/563;**  
**D9/571**

(58) **Field of Classification Search** ..... D9/682,  
D9/685, 686, 690, 691, 693, 522-526, 529-530,  
D9/541-544, 552, 560, 563, 565, 571-575,  
D9/443, 445, 453-454; 215/381-385, 396,  
215/398, 400

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D280,604 S \* 9/1985 Johnson et al. .... D9/574  
D308,481 S \* 6/1990 Thompson ..... D9/526  
D310,026 S \* 8/1990 Verebelyi ..... D9/526 X

D321,132 S \* 10/1991 Wiseman et al. .... D9/552  
D342,207 S \* 12/1993 McLean et al. .... D9/523  
D375,049 S \* 10/1996 Vollborth ..... D9/526  
D382,205 S \* 8/1997 Goettner et al. .... D9/526  
D391,489 S \* 3/1998 Feen ..... D9/526  
D392,568 S \* 3/1998 Goettner ..... D9/526  
D402,561 S \* 12/1998 Utrup et al. .... D9/526  
D406,063 S \* 2/1999 Vangramberen ..... D9/526  
D406,530 S \* 3/1999 Bodker et al. .... D9/526  
D409,495 S \* 5/1999 Hartman et al. .... D9/526  
D410,847 S \* 6/1999 Bodker et al. .... D9/526  
D431,471 S \* 10/2000 Large ..... D9/523  
D482,285 S \* 11/2003 Desouza ..... D9/522  
D501,637 S \* 2/2005 Miller et al. .... D9/563  
D539,668 S \* 4/2007 Muhlhausen et al. .... D9/526 X  
D553,990 S \* 10/2007 Muhlhausen ..... D9/526  
D561,592 S \* 2/2008 Muhlhausen ..... D9/526

\* cited by examiner

*Primary Examiner*—Carol Rademaker

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, and right side perspective view of the bottle of the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**






Fig. 1.




Fig.2.




Fig.3.




Fig.4.




Fig.5.




Fig.6.




Fig.7.