



US00D585586S

(12) **United States Design Patent**
Ishibashi

(10) **Patent No.:** **US D585,586 S**

(45) **Date of Patent:** **** Jan. 27, 2009**

(54) **REFLECTOR FOR A LIGHTING FIXTURE**

(75) Inventor: **Miyoji Ishibashi**, Fukuoka (JP)

(73) Assignee: **Tesco. Eco Lighting Co., Ltd.**, Fukuoka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/273,715**

(22) Filed: **Mar. 12, 2007**

(30) **Foreign Application Priority Data**

Sep. 15, 2006 (JP) 2006-024802

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/118**

(58) **Field of Classification Search** D26/123,
D26/28, 122, 120, 118, 147, 142, 113, 24,
D26/25, 72, 74, 75, 76, 77, 85, 86, 119, 121,
D26/124, 128, 129, 132, 133, 134, 135, 136,
D26/138, 139, 152, 155; 362/612, 623, 566,
362/565, 507, 517, 147, 219, 247, 252, 297,
362/346, 364, 433, 441, 455, 457, 800, 807,
362/410

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,944,810 A * 3/1976 Grindle 362/297
4,729,077 A * 3/1988 Gordin et al. 362/285
5,287,259 A * 2/1994 Lautzenheiser 362/341
D425,236 S * 5/2000 Porter et al. D26/86

D490,925 S * 6/2004 Wilmotte D26/63
D515,727 S * 2/2006 Yando D26/142
2007/0183144 A1 * 8/2007 Van Ulmer et al. 362/184

* cited by examiner

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Jordan and Hamburg LLP

(57) **CLAIM**

The ornamental design for a reflector for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a reflector for a lighting fixture showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof, the right side being identical;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a sectional view thereof taken along the line 6—6 in FIG. 4; and,

FIG. 7 is a perspective view of the reflector for a lighting fixture.

The claimed design relates to a reflector for a lighting fixture, such as a down light designed to be installed in a ceiling. The reflector internally comprises a six-sided pyramidal reflector member, as shown in FIGS. 2, 3, 5, 6 and 7. A right side view of the reflector (not shown) is symmetrical to the left side view.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

