



US00D585903S

(12) **United States Design Patent**  
**Yamaoka**

(10) **Patent No.:** **US D585,903 S**  
(45) **Date of Patent:** **\*\* Feb. 3, 2009**

(54) **USER INTERFACE FOR OPHTHALMIC INSTRUMENT**

(75) Inventor: **Masashi Yamaoka**, Itabashi-ku (JP)

(73) Assignee: **Kabushiki Kaisha Topcon**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/257,774**

(22) Filed: **Apr. 11, 2006**

(51) **LOC (9) Cl.** ..... **14-04**

(52) **U.S. Cl.** ..... **D14/485**

(58) **Field of Classification Search** ..... D14/485,  
D14/486, 487, 488, 489, 490, 491, 492, 493,  
D14/494, 495; 715/212, 215, 216, 217, 221,  
715/224, 227, 228, 235, 240, 243, 272, 275,  
715/700, 703, 706, 716, 719, 727, 728, 730,  
715/739, 757, 759, 762, 763, 764, 768, 775,  
715/776, 780, 783, 792, 793, 799, 800, 808,  
715/809, 810, 811, 812, 813, 817, 821, 822,  
715/823, 825, 828, 829, 834, 835, 836, 837,  
715/838, 839, 840, 841, 843, 845, 848, 849,  
715/850, 851, 852; 715/861, 864, 867, 962,  
715/963, 976, 977, 978; 345/589, 593, 594,  
345/601; D24/172; 351/222; 600/452

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,627,612	A *	5/1997	Hayashi	.....	351/200
6,307,572	B1 *	10/2001	DeMarcken et al.	.....	715/763
D477,327	S *	7/2003	Emig et al.	.....	D14/486
6,638,313	B1 *	10/2003	Freeman et al.	.....	715/275
D553,625	S *	10/2007	Burns et al.	.....	D14/485
D553,750	S *	10/2007	Yamaoka	.....	D24/172
7,280,191	B2 *	10/2007	Yanagi et al.	.....	356/124
D561,192	S *	2/2008	Kochackis et al.	.....	D14/487
D566,715	S *	4/2008	Soderstrom	.....	D14/486
D567,252	S *	4/2008	Choe et al.	.....	D14/486
2002/0026262	A1 *	2/2002	Okada et al.	.....	700/164
2004/0153198	A1 *	8/2004	Okada et al.	.....	700/164

2004/0209547	A1 *	10/2004	Hatano et al.	.....	451/5
2005/0162641	A1 *	7/2005	Yanagi et al.	.....	356/124
2005/0162642	A1 *	7/2005	Yanagi et al.	.....	356/124
2006/0166605	A1 *	7/2006	Hatano et al.	.....	451/5
2007/0091262	A1 *	4/2007	Watanabe et al.	.....	351/178
2007/0229762	A1 *	10/2007	Sakurada et al.	.....	351/243
2007/0236665	A1 *	10/2007	Sakurada	.....	351/222

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

*Assistant Examiner*—Angela J Lee

(74) *Attorney, Agent, or Firm*—Jacobson Holman PLLC

(57) **CLAIM**

The ornamental design for user interface for ophthalmic instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a controller for an ophthalmic instrument showing my new design;

FIG. 2 is a front view of the controller for an ophthalmic instrument as shown in FIG. 1;

FIG. 3 is a rear view of the controller for an ophthalmic instrument as shown in FIG. 1;

FIG. 4 is a left side view of the controller for an ophthalmic instrument as shown in FIG. 1;

FIG. 5 is a right side view of the controller for an ophthalmic instrument as shown in FIG. 1;

FIG. 6 is a plan view of the controller for an ophthalmic instrument as shown in FIG. 1;

FIG. 7 is a bottom view of the controller for an ophthalmic instrument as shown in FIG. 1; and,

FIG. 8 is an enlarged view of the user interface for ophthalmic instrument thereof which is taken from the direction of arrow A in FIG. 5, but shown without the broken lines for ease of illustration.

The broken line showing of portions of an ophthalmic instrument is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

