



US00D586059S

(12) **United States Design Patent**
Bechtold, Jr.

(10) **Patent No.:** **US D586,059 S**

(45) **Date of Patent:** **** Feb. 3, 2009**

(54) **PAINT BUCKET LINER**

(76) Inventor: **Joseph A. Bechtold, Jr.**, 19700 Tyronne Ave., Euclid, OH (US) 44119

(**) Term: **14 Years**

(21) Appl. No.: **29/291,167**

(22) Filed: **Aug. 17, 2007**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/289,030, filed on Jul. 2, 2007, and a continuation-in-part of application No. 29/289,891, filed on Aug. 6, 2007.

(51) **LOC (9) Cl.** **07-07**

(52) **U.S. Cl.** **D32/54**

(58) **Field of Classification Search** D32/53,
D32/53.1, 54; 220/495.02, 570, 697; 15/257.06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|------------------|------------|
| 2,823,399 | A | 2/1958 | Stewart | 401/121 |
| 2,961,849 | A | 11/1960 | Hitchcock | 249/83 |
| 3,487,989 | A | 1/1970 | Rausing et al. | 220/495.08 |
| 3,940,065 | A | 2/1976 | Ware et al. | 239/146 |
| 4,122,973 | A | 10/1978 | Ahern | 220/404 |
| D257,668 | S | 12/1980 | Ahern | D9/429 |
| D261,343 | S * | 10/1981 | Gibiec | D7/667 |
| D327,555 | S * | 6/1992 | Juergens | D34/1 |
| 5,143,242 | A | 9/1992 | Millasich | 220/404 |
| 5,236,102 | A * | 8/1993 | Quittmann et al. | 220/23.87 |
| D345,832 | S * | 4/1994 | Fraze et al. | D32/53.1 |
| 5,400,916 | A | 3/1995 | Weber | 220/404 |
| 5,549,216 | A | 8/1996 | Scholl | 220/695 |
| 5,727,708 | A | 3/1998 | Erickson | 220/410 |
| 6,105,816 | A * | 8/2000 | Shea | 220/697 |
| D444,278 | S * | 6/2001 | Myers, Jr. | D32/54 |
| 6,260,730 | B1 | 7/2001 | Fellman | 220/495.02 |
| D493,035 | S * | 7/2004 | Bergman | D3/304 |

* cited by examiner

Primary Examiner—Freda S. Nunn
Assistant Examiner—Kevin K Rudzinski
(74) *Attorney, Agent, or Firm*—David A. Burge

(57) **CLAIM**

I claim the ornamental design for a paint bucket liner, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a paint bucket liner showing the present invention;

FIG. 2 is a top perspective view thereof;

FIG. 3 is front elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a left side elevation view thereof, the right side elevation view being a mirror image;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a bottom perspective view of a paint bucket liner showing a second embodiment of the present invention;

FIG. 9 is a top perspective view thereof;

FIG. 10 is front elevation view thereof;

FIG. 11 is a rear elevation view thereof;

FIG. 12 is a left side elevation view thereof, the right side elevation view being a mirror image;



FIG. 13 is a top plan view thereof; and,

FIG. 14 is a bottom plan view thereof.

The broken lines in FIGS. 8, 9, 10, 11, 12 and 14 are used to show the paint bucket liner having no particular length and forms no part of the claimed design.

The innermost broken line in FIGS. 2, 6, 9 and 13 is a boundary line, which forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14