



US00D586182S

(12) **United States Design Patent**  
**Trombly**

(10) **Patent No.:** **US D586,182 S**

(45) **Date of Patent:** **\*\* Feb. 10, 2009**

(54) **MUG**

(75) Inventor: **Edgar Trombly**, Grosse Pointe Farms, MI (US)

(73) Assignee: **Punch Products USA, Inc.**, Rahway, NJ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/267,114**

(22) Filed: **Oct. 5, 2006**

(51) **LOC (9) Cl.** ..... **07-01**

(52) **U.S. Cl.** ..... **D7/510; D7/509**

(58) **Field of Classification Search** ..... D7/392.1, D7/500, 509–511, 523, 533–536, 538, 608, D7/529, 532, 312, 316, 622; 215/387, 200, 215/DIG. 7; 220/592.16, 592.17, 703, 710.5, 220/711, 612, 719, 298; D9/767, 773, 774, D9/776, 7, 519, 537, 500, 545; 229/404, 229/402; 62/457.3

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D96,707	S *	8/1935	Solomon	.....	D11/152
2,051,446	A *	8/1936	Ice	.....	215/12.1
2,319,487	A *	5/1943	Baldwin, Jr.	.....	220/612
D177,559	S *	5/1956	Emmert	.....	D7/531
2,801,541	A *	8/1957	Moreland	.....	73/319
2,863,585	A *	12/1958	Meshberg	.....	220/592.17
2,899,098	A *	8/1959	Gits	.....	220/592.17
D203,629	S *	2/1966	Brock	.....	D9/780
4,136,799	A *	1/1979	Albert	.....	220/298
D286,604	S *	11/1986	Bierlein et al.	.....	D7/523
5,067,922	A *	11/1991	McMahon	.....	446/71
D324,281	S *	2/1992	Brussing	.....	D34/1
5,228,585	A *	7/1993	Lutgen et al.	.....	220/4.14
D376,284	S *	12/1996	Keeley	.....	D6/520
D417,819	S *	12/1999	Kelly-Pollet	.....	D7/510
6,073,868	A *	6/2000	Stevens et al.	.....	242/118.32
6,185,808	B1 *	2/2001	Ranze et al.	.....	29/455.1
6,732,964	B2 *	5/2004	Couchey	.....	242/118.32

\* cited by examiner

*Primary Examiner*—Philip Hyder  
*Assistant Examiner*—Cynthia Underwood  
(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

(57) **CLAIM**

The ornamental design of a mug, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of the invention;

FIG. 2 is a front view of the embodiment of FIG. 1, with the side and rear views being identical to the front view;

FIG. 3 is a top view of the embodiment of FIG. 1;

FIG. 4 is a bottom view of the embodiment of FIG. 1;

FIG. 5 is a perspective view of a second embodiment of the invention in a two-color contrast combination;

FIG. 6 is a front view of the embodiment of FIG. 5, with the side and rear views being identical to the front view;

FIG. 7 is a top view of the embodiment of FIG. 5;

FIG. 8 is a bottom view of the embodiment of FIG. 5;

FIG. 9 is a perspective view of a third embodiment of the invention in a two-color contrast combination;

FIG. 10 is a front view of the embodiment of FIG. 9, with the side and rear views being identical to the front view;

FIG. 11 is a top view of the embodiment of FIG. 9;

FIG. 12 is a bottom view of the embodiment of FIG. 9;

FIG. 13 is a perspective view of a fourth embodiment of the invention in a white and silver color combination;

FIG. 14 is a front view of the embodiment of FIG. 13, with the side and rear views being identical to the front view;

FIG. 15 is a top view of the embodiment of FIG. 13;

FIG. 16 is a bottom view of the embodiment of FIG. 13;

FIG. 17 is a perspective view of a fifth embodiment of the invention in a black and silver color combination;

FIG. 18 is a front view of the embodiment of FIG. 17, with the side and rear views being identical to the front view;

FIG. 19 is a top view of the embodiment of FIG. 17;




FIG. 20 is a bottom view of the embodiment of FIG. 17;  
FIG. 21 is a perspective view of a sixth embodiment of the invention;  
FIG. 22 is a front view of the embodiment of FIG. 21, with the side and rear views being identical to the front view;  
FIG. 23 is a top view of the embodiment of FIG. 21;  
FIG. 24 is a bottom view of the embodiment of FIG. 21;  
FIG. 25 is a perspective view of a seventh embodiment of the invention in a two-color contrast combination;  
FIG. 26 is a front view of the embodiment of FIG. 25, with the side and rear views being identical to the front view;  
FIG. 27 is a top view of the embodiment of FIG. 25;  
FIG. 28 is a bottom view of the embodiment of FIG. 25;  
FIG. 29 is a perspective view of an eighth embodiment of the invention in a two-color contrast combination;  
FIG. 30 is a front view of the embodiment of FIG. 29, with the side and rear views being identical to the front view;

FIG. 31 is a top view of the embodiment of FIG. 29;  
FIG. 32 is a bottom view of the embodiment of FIG. 29;  
FIG. 33 is a perspective view of a ninth embodiment of the invention in a white and silver color combination;  
FIG. 34 is a front view of the embodiment of FIG. 33, with the side and rear views being identical to the front view;  
FIG. 35 is a top view of the embodiment of FIG. 33;  
FIG. 36 is a bottom view of the embodiment of FIG. 33;  
FIG. 37 is a perspective view of a tenth embodiment of the invention in a black and silver color combination;  
FIG. 38 is a front view of the embodiment of FIG. 37, with the side and rear views being identical to the front view;  
FIG. 39 is a top view of the embodiment of FIG. 37; and,  
FIG. 40 is a bottom view of the embodiment of FIG. 37.  
The broken lines are provided for illustrative purposes only and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 11




FIG. 10




FIG. 9




FIG. 12




FIG. 7




FIG. 6




FIG. 5




FIG. 8




FIG. 13




FIG. 15




FIG. 14




FIG. 16






FIG. 17




FIG. 19




FIG. 18




FIG. 20






FIG. 21






FIG. 22




FIG. 23




FIG. 24




FIG. 31




FIG. 30




FIG. 29




FIG. 32




FIG. 27




FIG. 26




FIG. 25




FIG. 28




FIG. 33




FIG. 35




FIG. 34




FIG. 36






FIG. 37




FIG. 39




FIG. 38




FIG. 40

