



US00D586345S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D586,345 S**

(45) **Date of Patent:** **** Feb. 10, 2009**

(54) **PORTABLE RADIO FREQUENCY IDENTIFICATION DEVICE READER**

(75) Inventor: **Hong-ki Kim**, Seoul (KR)

(73) Assignee: **Samsung Techwin Co., Ltd.**, Changwon (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/307,481**

(22) Filed: **Apr. 23, 2008**

(30) **Foreign Application Priority Data**

Oct. 23, 2007 (KR) 30-2007-0043979

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/383; D14/426**

(58) **Field of Classification Search** D14/383-387, D14/426, 422, 347; 345/169, 173; 356/71, 356/237.1; 382/116, 124-126, 181, 207; 235/382, 382.5, 472.02; 355/64, 65, 75, 355/81; 118/31.5; 283/68-70, 74, 75, 78; 700/218; D18/4.4; 361/681-686, 747; 343/702
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D325,574 S * 4/1992 Carver D14/426
5,410,141 A * 4/1995 Koenck et al. 235/472.02
D374,221 S * 10/1996 Ruiz D14/426
5,831,819 A * 11/1998 Chacon et al. 361/683
5,949,378 A * 9/1999 Coveley 343/702
D414,760 S * 10/1999 Hetfield et al. D14/426

6,097,606 A * 8/2000 Groves et al. 361/747
D463,425 S * 9/2002 Jenkins D14/347
D505,422 S * 5/2005 Kakizaki et al. D14/347
D529,943 S * 10/2006 Chiu et al. D18/4.4

* cited by examiner

Primary Examiner—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP

(57) **CLAIM**

The ornamental design for a portable radio frequency identification device reader, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a portable radio frequency identification device reader;

FIG. 2 is a front view of the portable radio frequency identification device reader;

FIG. 3 is a rear view of the portable radio frequency identification device reader;

FIG. 4 is a left side view of the portable radio frequency identification device reader;

FIG. 5 is a right side view of the portable radio frequency identification device reader;

FIG. 6 is a top view of the portable radio frequency identification device reader;

FIG. 7 is a bottom view of the portable radio frequency identification device reader; and,

FIG. 8 is a rear perspective view of portable radio frequency identification device reader in which an antenna is raised.

1 Claim, 7 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

