



US00D586403S

(12) **United States Design Patent**  
**Chambers et al.**

(10) **Patent No.:** **US D586,403 S**

(45) **Date of Patent:** **\*\* Feb. 10, 2009**

(54) **DEVICE FOR SECURING A BALLOON TO A CORRUGATED SIGN**

D449,222 S \* 10/2001 Young et al. .... D8/382  
6,688,939 B1 \* 2/2004 Novak ..... 446/220

(76) Inventors: **Andrew C. Chambers**, 11032  
Merganser Ter., Chesterfield, VA (US)  
23838; **Geoffrey H. Richardson**, 11011  
Merganser Ter., Chesterfield, VA (US)  
23838

\* cited by examiner

*Primary Examiner*—Caron Veynar  
*Assistant Examiner*—Mary Ann Calabrese  
(74) *Attorney, Agent, or Firm*—Norman B. Rainer

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/287,082**

The ornamental design for a device for securing a balloon to a corrugated sign, as shown and described.

(22) Filed: **Jun. 25, 2007**

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **20-03**

FIG. 1 is a front perspective view of a device for securing a balloon to a corrugated sign, showing a first embodiment of our new design having circular ridges;

(52) **U.S. Cl.** ..... **D20/43**

FIG. 2 is a front view thereof, the opposite side being identical thereto;

(58) **Field of Classification Search** ..... D20/10,  
D20/19, 41-43, 99; 40/584, 607.11, 607.13,  
40/607.14, 620, 642.02, 661, 658, 666, 668;  
D8/349, 367, 382; 24/442, 572.1; 52/309.1;  
84/442.4; 206/338, 340; 211/13.1, 113;  
248/210; 256/48; 269/45; 411/17, 384,  
411/400, 421, 455, 485; 446/220

FIG. 3 is a side view thereof, the opposite side being identical thereto;

See application file for complete search history.

FIG. 4 is a top view thereof, showing said device in use, inserted into a channel of a corrugated sign shown in fragmentary broken lines forming no part of the claimed design;

(56) **References Cited**

FIG. 5 is a bottom view of the device of FIG. 1;

**U.S. PATENT DOCUMENTS**

FIG. 6 is a perspective front view of said device in reduced size shown in use inserted into a channel of a corrugated sign and securing a tethered balloon thereto. The said sign, tether and balloon being represented in broken line and not part of the claimed design;

240,083	A	*	4/1881	Hovel-Thurlow-Cumming-Bruce	.....	256/48
318,566	A	*	5/1885	Jones	.....	411/455
546,269	A	*	9/1895	Countant	.....	411/455
2,028,528	A	*	1/1936	Sipe	.....	411/455
2,867,807	A	*	1/1959	Anstett	.....	206/340
3,921,496	A	*	11/1975	Hedlerman	.....	411/17
4,219,980	A	*	9/1980	Loyd	.....	52/309.1
4,718,802	A	*	1/1988	Rockenfeller et al.	.....	411/421
4,939,972	A	*	7/1990	Falberg	.....	84/422.4
4,943,039	A	*	7/1990	Jackson	.....	269/45
4,953,713	A	*	9/1990	Yaffe	.....	211/13.1
D346,954	S	*	5/1994	Vandermast	.....	D8/382
5,788,198	A	*	8/1998	Sharpe	.....	248/210
5,823,365	A	*	10/1998	Page	.....	211/113

FIG. 7 is a front perspective view of a second embodiment of the said device showing our new design;

FIG. 8 is a front view thereof, the opposite side being identical thereto;

FIG. 9 is a side view thereof, the opposite side being identical thereto; and,

FIG. 10 is a bottom view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 3




FIG. 2






FIG. 1



**FIG. 4**



**FIG. 5**



**FIG. 6**




FIG. 7




FIG. 8



FIG. 9



FIG. 10