



US00D586740S

(12) **United States Design Patent**
Song

(10) **Patent No.:** **US D586,740 S**

(45) **Date of Patent:** **** Feb. 17, 2009**

(54) **SMART BATTERY**

(75) **Inventor:** **David Tan Qing Song**, Fu Tian District (CN)

(73) **Assignee:** **Teleway Industrial Ltd**, Shenzhen (CN)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/318,582**

(22) **Filed:** **May 22, 2008**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Classification Search** D13/102-106,
D13/110, 118-119, 184; 429/96-100, 163,
429/176

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|------------------------|---------|
| 4,288,733 | A * | 9/1981 | Bilanceri et al. | 320/113 |
| 5,489,486 | A * | 2/1996 | Glover | 429/100 |
| D400,493 | S * | 11/1998 | Witkowski et al. | D13/103 |
| D446,499 | S * | 8/2001 | Andre et al. | D13/110 |
| 6,447,949 | B2 * | 9/2002 | Iwata et al. | 429/185 |
| 6,602,637 | B1 * | 8/2003 | Kurasawa et al. | 429/176 |
| D506,065 | S * | 6/2005 | Sugino et al. | D3/294 |
| D518,451 | S * | 4/2006 | Nussberger et al. | D13/184 |
| D561,093 | S * | 2/2008 | Sween et al. | D13/110 |
| D561,094 | S * | 2/2008 | Sween et al. | D13/110 |
| D561,687 | S * | 2/2008 | Sween et al. | D13/110 |
| D568,240 | S * | 5/2008 | Haydvoel | D13/103 |
| 2003/0017372 | A1 * | 1/2003 | Probst et al. | 429/7 |

| | | | | |
|--------------|------|---------|-----------------------|---------|
| 2003/0129487 | A1 * | 7/2003 | Inoue et al. | 429/176 |
| 2005/0106454 | A1 * | 5/2005 | Kozu et al. | 429/175 |
| 2005/0118501 | A1 * | 6/2005 | Hashimoto et al. | 429/180 |
| 2005/0233206 | A1 * | 10/2005 | Puttaiah et al. | 429/120 |
| 2006/0246349 | A1 * | 11/2006 | Uh | 429/175 |

* cited by examiner

Primary Examiner—Jennifer Rivard

Assistant Examiner—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Christie, Parker & Hale, LLP.

(57) **CLAIM**

The ornamental design for smart battery, as shown and described.

DESCRIPTION

FIG. 1 is a bottom left side isometric view of the battery of the invention;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is an exploded view thereof.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 5 Drawing Sheets





FIG. 1






FIG. 3




FIG. 2




FIG. 5




FIG. 4

FIG. 6




FIG. 7




FIG. 8

