

(12) United States Design Patent (10) Patent No.: US D586,743 S Guccione et al. (45) Date of Patent: ** Feb. 17, 2009

- (54) CHARGING DEVICE
- (75) Inventors: Darren S. Guccione, Wheaton, IL (US);
 Craig B. Lurey, El Dorado Hills, CA (US)

(73) Assignee: Callpod, Inc., Chicago, IL (US)

(**) Term: 14 Years

D571,776 S * 6/2008 Duys et al. D14/150 * cited by examiner

Primary Examiner—Jennifer Rivard
Assistant Examiner—Rosemary K Tarcza
(74) Attorney, Agent, or Firm—Levenfeld Pearlstein, LLC

(57) **CLAIM**

The ornamental design for a charging device, as shown and

(21) Appl. No.: **29/302,118**

(22) Filed: Jan. 10, 2008

- (51) LOC (9) Cl. 13-02
- (52) U.S. Cl. D13/107
- (58) Field of Classification Search D13/107–110, D13/118–119, 184; D14/149, 150, 243, D14/251, 253, 432, 434; 320/107–115; 379/433–436, 379/419, 420, 428, 440, 202

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D411,995	S	*	7/1999	Chen	D14/150
D430,538	S	*	9/2000	Kawakita et al	D13/107
D430,846	S	*	9/2000	Kawakita et al	D13/107
D436,596	S	*	1/2001	Ito et al	D14/434
D491,909	S	*	6/2004	Sun	D14/150
7,212,420	B2	*	5/2007	Liao	363/146
D556,179	S	*	11/2007	Chang	D14/150

described.

DESCRIPTION

FIG. 1 is a front, top perspective view of a charging device;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a front view thereof;

FIG. **5** is a rear view thereof;

FIG. **6** is a side view thereof as seen from the left-hand side of FIG. **5**;

FIG. **7** is a side view thereof as seen from the right-hand side of FIG. **5**;

FIG. **8** is a side view thereof as seen 60 degrees toward the left-hand side from FIG. **5**; and,

FIG. **9** is a side view thereof as seen 60 degrees toward the right-hand side from FIG. **5**.

The broken line showing of the ports is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

D561,762 S	*	2/2008	Mori	D14/434
D566,682 S	*	4/2008	Marash	D14/149

1 Claim, 3 Drawing Sheets



U.S. Patent Feb. 17, 2009 Sheet 1 of 3 US D586,743 S



FIG. 1



FIG. 2

U.S. Patent Feb. 17, 2009 Sheet 2 of 3 US D586,743 S





FIG. 4



FIG. 5

U.S. Patent Feb. 17, 2009 Sheet 3 of 3 US D586,743 S



FIG. 6



FIG. 7



FIG. 8



FIG. 9