



US00D586905S

(12) **United States Design Patent**
Fisher et al.

(10) **Patent No.:** **US D586,905 S**

(45) **Date of Patent:** **** Feb. 17, 2009**

(54) **CONTAINER LID**

4,407,779 A 10/1983 Thompson

(Continued)

(75) Inventors: **Jeffrey J. Fisher**, Ada, MI (US); **Carol J. Watzke**, Hopkins, MN (US); **Milton W. Anderson**, Eagan, MN (US); **Gustav R. Fenton**, Minneapolis, MN (US); **Todd W. Schansberg**, Jordan, MN (US)

OTHER PUBLICATIONS

PCT/US03/38661 Search Report dated Apr. 22, 2004.

Primary Examiner—Ian Simmons

Assistant Examiner—Christopher Lee

(74) *Attorney, Agent, or Firm*—Aleya R. Champlin; Audrey J. Habcock

(73) Assignee: **CNS, Inc.**, Minneapolis, MN (US)

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/284,583**

The ornamental design for a container lid, as shown and described.

(22) Filed: **Sep. 11, 2007**

Related U.S. Application Data

DESCRIPTION

(62) Division of application No. 10/537,854, filed as application No. PCT/US03/38661 on Dec. 5, 2003.

FIG. 1 is a top perspective view of a container lid, showing our new design;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof;

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.** **D24/110**

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

(58) **Field of Classification Search** D24/110, D24/121, 122; D9/435, 454; 128/203.13, 128/203.14, 203.15, 203.16, 203.17, 203.25, 128/203.29; 604/329, 331

See application file for complete search history.

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top perspective view of a modified embodiment of the design shown in FIGS. 1 through 7;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a left side elevational view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 556,228 A 3/1896 Walter
- 568,928 A 10/1896 Stratton et al.
- 1,476,194 A 12/1923 Dismond
- 1,601,258 A 9/1926 Pajer
- 1,659,970 A 2/1928 Chouinard
- 2,033,489 A 3/1936 Silten
- 2,672,141 A 3/1954 Filger
- 4,226,367 A 10/1980 Hayes
- 4,399,080 A 8/1983 Swank

FIG. 11 is a front elevational view thereof;



FIG. 12 is a rear elevational view thereof;

FIG. 13 is a top plan view thereof; and,

FIG. 14 is a bottom plan view thereof.

The portions of the drawings in broken lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D586,905 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-----------|-----|--------|-------------------------------|--------------|-----|---------|----------------------------|
| 4,523,589 | A | 6/1985 | Krauser | 6,772,756 | B2 | 8/2004 | Shayan |
| 4,903,850 | A | 2/1990 | Frank et al. | 6,868,694 | B2 | 3/2005 | Nielsen |
| 5,387,205 | A * | 2/1995 | Cummins 604/329 | 6,944,889 | B2 | 9/2005 | Hill |
| D356,153 | S * | 3/1995 | Peterhans et al. D24/110 | D550,835 | S * | 9/2007 | Tanaka et al. D24/110 |
| 5,921,233 | A | 7/1999 | Gold et al. | 2003/0057115 | A1 | 3/2003 | Langelier et al. |
| 6,062,213 | A | 5/2000 | Fuisz et al. | 2003/0225003 | A1 | 12/2003 | Ninkov |

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14