



US00D586926S

(12) **United States Design Patent**
Orton

(10) **Patent No.:** **US D586,926 S**

(45) **Date of Patent:** **** Feb. 17, 2009**

(54) **PAVER RESTRAINT**

(76) Inventor: **David S. Orton**, 32020 126th St.,
Princeton, MN (US) 55371

(**) Term: **14 Years**

(21) Appl. No.: **29/289,221**

(22) Filed: **Jul. 13, 2007**

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/119; D25/164**

(58) **Field of Classification Search** D25/164,
D25/119; 404/7, 8; 47/33; 52/393, 396.04,
52/396.08, 396.09, 396.1, 402, 404.2, 102;
4/506

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,193,425	A *	3/1940	Lake	47/33
4,349,596	A *	9/1982	Hendrix	428/83
5,157,867	A *	10/1992	Fritch	47/33
D363,788	S *	10/1995	Caley	D25/119
5,640,801	A *	6/1997	Rynberk	47/33
5,771,643	A *	6/1998	Parker	52/169.5
6,485,226	B1 *	11/2002	Harger	404/7
D541,952	S *	5/2007	Keeley et al.	D25/119

* cited by examiner

Primary Examiner—Doris Clark
(74) *Attorney, Agent, or Firm*—Terry M. Crellin

(57) **CLAIM**

I claim the ornamental design for a paver restraint, as shown and described.

DESCRIPTION

A holding device for paving blocks to minimize movement of the paving blocks.

FIG. 1 is a pictorial view of a paver restraint in accordance with the present invention;

FIG. 2 is a top view of the paver restraint as shown in FIG. 1;


FIG. 3 is a side elevation view of the paver restraint of FIG. 1 taken from the left hand side of the paver restraint as shown in FIG. 1;


FIG. 4 is an end elevation view of the paver restraint of FIG. 1 taken from the lower end of the paver restraint as shown in FIG. 1; and,

FIG. 5 is an end elevation view of the paver restraint of FIG. 1 taken from the upper end of the paver restraint as shown in FIG. 1.

The paver restraint is shown in the drawings as broken on the web to indicate indefinite length.

1 Claim, 2 Drawing Sheets








FIG. 2




FIG. 3



FIG. 4




FIG. 5