



US00D587095S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D587,095 S**

(45) **Date of Patent:** **\*\* Feb. 24, 2009**

(54) **LOCK**

(75) Inventor: **Gary Charles Johnson**, Portland, OR  
(US)

(73) Assignee: **Johnson Engineering, Inc.**, Portland,  
OR (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/308,190**

(22) Filed: **Jun. 2, 2008**

(51) **LOC (9) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/330; D8/343; D8/339**

(58) **Field of Classification Search** ..... D8/330-343,  
D8/349; 70/14, 20, 33, 34, 38 R, 51, 181-189;  
292/86, 119, 137, 156, 41

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,711,106	A *	12/1987	Johnson	.....	70/34
4,732,019	A *	3/1988	Tolar	.....	70/203
5,540,065	A *	7/1996	Wyers	.....	70/26
D428,795	S *	8/2000	Wyers	.....	D8/341

D444,050	S *	6/2001	Wyers	.....	D8/341
D447,043	S *	8/2001	Wyers	.....	D8/339
6,425,272	B1 *	7/2002	Chen	.....	70/34
D484,773	S *	1/2004	Wyers	.....	D8/330

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Kolisch Hartwell, P.C.

(57) **CLAIM**

I claim the ornamental design for a lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a top right front perspective view of a lock showing an embodiment of my new design, the top left rear view perspective view being a mirror image thereof.

FIG. 2 is a left side elevational view thereof.

FIG. 3 is a right side elevational view thereof.

FIG. 4 is a front elevational view thereof.

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a top plan view thereof, the bottom plan view being a mirror image thereof.

**1 Claim, 2 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

