



US00D587374S

(12) **United States Design Patent**
Meyer et al.

(10) **Patent No.:** **US D587,374 S**

(45) **Date of Patent:** **** Feb. 24, 2009**

(54) **SENSOR CASE**

(75) Inventors: **Doug Meyer**, Tustin, CA (US); **Luchy Roteliuk**, Lake Forest, CA (US)

(73) Assignee: **Edwards Lifesciences Corporation**, Irvine, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/221,423**

(22) Filed: **Jan. 14, 2005**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/167**

(58) **Field of Classification Search** D24/165-169, D24/186, 231, 128, 187; 600/481-483, 485, 600/502, 503, 504, 509, 526-528; 128/DIG. 26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D255,938 S * 7/1980 Hawke et al. D24/187
- D326,718 S * 6/1992 Maxwell et al. D24/169
- D330,419 S * 10/1992 Sifers et al. D24/128
- D347,060 S * 5/1994 Bierman D24/128

- D367,529 S * 2/1996 Price et al. D24/128
- D408,535 S * 4/1999 Hacker D24/169
- 6,132,383 A * 10/2000 Chesney et al. 600/502

* cited by examiner

Primary Examiner—Louis S Zarfaz

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—George J. Carlin

(57) **CLAIM**

We claim the ornamental design for a sensor case, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the sensor case;

FIG. 2 is an enlarged bottom perspective view thereof;

FIG. 3 is a top view of the sensor case;


FIG. 4 is a right side view thereof;

FIG. 5 is a bottom view thereof; and,

FIG. 6 is an end view thereof.

The broken lines in FIGS. 1, 2, and 5 represents portions of the sensor case that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6