



US00D587374S

(12) **United States Design Patent**  
**Meyer et al.**

(10) **Patent No.:** **US D587,374 S**

(45) **Date of Patent:** **\*\* Feb. 24, 2009**

(54) **SENSOR CASE**

(75) Inventors: **Doug Meyer**, Tustin, CA (US); **Luchy Roteliuk**, Lake Forest, CA (US)

(73) Assignee: **Edwards Lifesciences Corporation**, Irvine, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/221,423**

(22) Filed: **Jan. 14, 2005**

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/167**

(58) **Field of Classification Search** ..... D24/165-169, D24/186, 231, 128, 187; 600/481-483, 485, 600/502, 503, 504, 509, 526-528; 128/DIG. 26  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D255,938 S *	7/1980	Hawke et al.	.....	D24/187
D326,718 S *	6/1992	Maxwell et al.	.....	D24/169
D330,419 S *	10/1992	Sifers et al.	.....	D24/128
D347,060 S *	5/1994	Bierman	.....	D24/128

D367,529 S *	2/1996	Price et al.	.....	D24/128
D408,535 S *	4/1999	Hacker	.....	D24/169
6,132,383 A *	10/2000	Chesney et al.	.....	600/502

\* cited by examiner

*Primary Examiner*—Louis S Zarfaz

*Assistant Examiner*—Anhdao Doan

(74) *Attorney, Agent, or Firm*—George J. Carlin

(57) **CLAIM**


We claim the ornamental design for a sensor case, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the sensor case;  
FIG. 2 is an enlarged bottom perspective view thereof;  
FIG. 3 is a top view of the sensor case;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a bottom view thereof; and,  
FIG. 6 is an end view thereof.

The broken lines in FIGS. 1, 2, and 5 represents portions of the sensor case that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6