



US00D587560S

(12) **United States Design Patent**  
**Rhee**

(10) **Patent No.:** **US D587,560 S**  
(45) **Date of Patent:** **\*\* Mar. 3, 2009**

(54) **HOOK AND EYE FASTENER**

(76) Inventor: **Donald Seung-Yeup Rhee**, 4260 Via Arbolada, #224, Los Angeles, CA (US) 90042

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/298,594**

(22) Filed: **Dec. 7, 2007**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/367**

(58) **Field of Classification Search** ..... D8/367, D8/371, 373; D30/138; 2/338; 24/129 A, 24/129 R, 323, 598.1, 599.4, 601.7, 618, 24/689, 691, 695; 52/582.2; 40/1.6; 220/326; 224/676; 402/80 R; 450/1; 294/82.1, 82.2; 248/301, 339, 340, 489, 493

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,760,674	A *	8/1956	Karp	220/326
2,775,799	A *	1/1957	Friedrich	52/582.2
3,162,919	A *	12/1964	Shee	24/695
3,426,400	A *	2/1969	Lauro	24/601.7
3,528,140	A *	9/1970	Waldes	24/695
3,535,753	A *	10/1970	Kruger et al.	24/618
3,992,756	A *	11/1976	Stafstrom	24/323
3,996,649	A *	12/1976	Podd	24/598.1
4,288,890	A *	9/1981	Kanazaka	24/689
4,606,079	A *	8/1986	DeWoskin	2/338
4,625,370	A *	12/1986	Fukuroi et al.	24/601.7
D299,003	S *	12/1988	Fadeley, Jr.	D8/367
4,891,868	A *	1/1990	Watanabe	24/691
5,695,295	A *	12/1997	Ayele et al.	402/80 R
5,746,365	A *	5/1998	Scott	224/676
5,782,022	A *	7/1998	Tubberville	40/1.6
6,520,832	B2 *	2/2003	Devita et al.	450/1
D480,841	S *	10/2003	Bird	D30/138
D557,592	S *	12/2007	Frank	D8/367

\* cited by examiner

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Patent Law Group LLP; David C. Hsia

(57) **CLAIM**

The ornamental design for a hook and eye fastener, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the hook and eye fastener in accordance with my design.

FIG. 2 is a bottom perspective view of the hook and eye fastener in accordance with my design.

FIG. 3 is a top perspective view of the hook and eye fastener in accordance with my design and shown in an exploded view with the elements separated for clarity of illustration.

FIG. 4 is a bottom perspective view of the hook in the hook and eye fastener in accordance with my design.

FIG. 5 is a side elevation view of the hook in the hook and eye fastener in accordance with my design.

FIG. 6 is a top plan view of the hook in the hook and eye fastener in accordance with my design.

FIG. 7 is a front elevation view of the hook in the hook and eye fastener in accordance with my design.

FIG. 8 is a bottom plan view of the hook in the hook and eye fastener in accordance with my design.

FIG. 9 is a rear elevation view of the hook in the hook and eye fastener in accordance with my design.

FIG. 10 is a bottom perspective view of the eye in the hook and eye fastener in accordance with my design.

FIG. 11 is a side elevation view of the eye in the hook and eye fastener in accordance with my design.


FIG. 12 is a top plan view of the eye in the hook and eye fastener in accordance with my design.

FIG. 13 is a front elevation view of the eye in the hook and eye fastener in accordance with my design; and,


FIG. 14 is a bottom plan view of the hook in the hook and eye fastener in accordance with my design.

The broken lines showing environment structure are for illustrative purposes and form no part of the claimed design.


**1 Claim, 7 Drawing Sheets**



**FIG. 1**



**FIG. 2**










FIG. 3




**FIG. 4**




**FIG. 5**


**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**








**FIG. 10**




**FIG. 11**

**FIG. 12**



**FIG. 13**



**FIG. 14**

