



US00D587594S

(12) **United States Design Patent**
Crawford

(10) **Patent No.:** **US D587,594 S**
(45) **Date of Patent:** **** Mar. 3, 2009**

(54) **CONTAINER**

(75) Inventor: **John C. Crawford**, Mahopac, NY (US)

(73) Assignee: **Colgate Palmolive Company**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/278,480**

(22) Filed: **Mar. 30, 2007**

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/563; D9/564; D9/574**

(58) **Field of Classification Search** D9/682,
D9/685-686, 689, 516, 529-530, 537-543,
D9/549-550, 558, 563, 574; 215/381-385;
220/660, 669, 675

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D3,836 S * 2/1870 Wicks D9/500
- D68,340 S 9/1925 Oppenheim, Jr.
- D95,888 S 6/1935 Adams
- D102,283 S 12/1936 Marrow
- D124,748 S 1/1941 Lloyd
- D136,219 S 8/1943 Breeden
- D157,508 S 2/1950 Montenier
- D201,220 S 5/1965 Lorenzen
- 3,263,873 A * 8/1966 Armour 222/212 X
- D207,801 S 5/1967 Roberts
- D213,355 S * 2/1969 Kneapler D9/558
- D222,611 S 11/1971 Strand
- D228,281 S 9/1973 Hoffman
- D229,544 S 12/1973 Weckman
- D241,418 S 9/1976 Koenigsberg
- D245,317 S 8/1977 Pardo
- D263,931 S 4/1982 de Nola
- D265,975 S 8/1982 Vaussanvin
- D278,411 S 4/1985 Reitzel et al.
- D284,739 S 7/1986 Thieffry
- D302,792 S * 8/1989 Dinand D9/529
- D316,969 S 5/1991 Wiseman et al.
- D321,132 S 10/1991 Wiseman et al.

- D322,029 S 12/1991 Caputo
- D353,775 S * 12/1994 Thompson D9/571 X
- D357,633 S * 4/1995 Granai D9/553
- D369,294 S 4/1996 Hirato
- 5,542,585 A * 8/1996 Peters et al. D9/542 X
- D376,310 S 12/1996 Crawford
- D378,276 S 3/1997 Kotoucek et al.
- D381,261 S 7/1997 Crawford
- D395,399 S 6/1998 Crawford
- D398,532 S 9/1998 Crawford
- D400,442 S * 11/1998 Nosella D9/500
- D406,066 S 2/1999 Crawford
- D413,807 S * 9/1999 Mikla D9/542
- D414,103 S 9/1999 Crawford
- D414,117 S 9/1999 Mikla
- D416,805 S 11/1999 Mikla

(Continued)

FOREIGN PATENT DOCUMENTS

AU 96326 4/1987

(Continued)

Primary Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Amy M. Fernandez

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the container of my design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken line showing of threads and of the bottom of the container in the drawing views are included for the purpose of showing environmental structure that forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D587,594 S

Page 2

| U.S. PATENT DOCUMENTS | | | AU | 96329 | 4/1987 |
|-----------------------|---------|-----------------------------|----|----------------|---------|
| D421,215 S | 2/2000 | Crawford | AU | 99567 | 2/1988 |
| D423,368 S | 4/2000 | Crawford | AU | 99958 | 3/1988 |
| D429,629 S * | 8/2000 | Kuzma et al. D9/682 | AU | 109887 | 12/1990 |
| D433,623 S | 11/2000 | Crawford | AU | 109888 | 12/1990 |
| D433,637 S | 11/2000 | Hailey et al. | AU | 139144 | 12/1999 |
| D450,247 S | 11/2001 | Johnson et al. | AU | 140220 | 3/2000 |
| D451,008 S * | 11/2001 | Crawford D9/571 | AU | 141555 | 8/2000 |
| D460,348 S * | 7/2002 | Crawford et al. D9/682 | AU | 150634 | 2/2003 |
| D460,686 S * | 7/2002 | Crawford et al. D9/682 | AU | 151792 | 5/2003 |
| D480,008 S | 9/2003 | Maus | AU | 151837 | 5/2003 |
| D482,624 S | 11/2003 | Hadkte et al. | AU | 151838 | 5/2003 |
| D484,403 S | 12/2003 | Crawford | AU | 151839 | 5/2003 |
| D490,320 S | 5/2004 | Guislain | AU | 151840 | 5/2003 |
| D491,813 S | 6/2004 | Calello | AU | 151841 A | 5/2003 |
| D496,866 S * | 10/2004 | Cornell D9/544 | BR | MI 3600902 | 9/1977 |
| D499,333 S * | 12/2004 | Crawford D9/694 | BR | MI 3600903 | 9/1977 |
| D513,189 S | 12/2005 | Busa, Jr. et al. | BR | MI 4901641 | 5/1990 |
| D514,948 S | 2/2006 | Busa, Jr. et al. | BR | DI 5800581-1 | 12/1998 |
| D517,416 S | 3/2006 | Borgerson et al. | BR | DI 5801379-2 | 6/2000 |
| D523,754 S * | 6/2006 | Williams D9/558 | BR | DI 6203612-2 F | 3/2003 |
| D527,258 S * | 8/2006 | Crawford D9/448 | BR | DI 6304060-3 F | 2/2004 |
| D538,665 S * | 3/2007 | Wilson et al. D9/563 X | FR | 374674 | 10/1994 |
| D564,891 S * | 3/2008 | Clark et al. D9/542 | FR | 374675 | 10/1994 |
| D567,107 S * | 4/2008 | Crawford et al. D9/682 | FR | 374676 | 10/1994 |
| D569,263 S * | 5/2008 | Bradley et al. D9/691 | FR | 374677 | 10/1994 |
| | | | RU | 49646 | 12/2001 |
| | | | WO | DM/050324 | 3/2000 |
| | | | WO | DM/063943 | 8/2003 |

| FOREIGN PATENT DOCUMENTS | | |
|--------------------------|-------|--------|
| AU | 96327 | 4/1987 |
| AU | 96328 | 4/1987 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7