

US00D587651S

(12) **United States Design Patent**
Allwood et al.

(10) **Patent No.:** **US D587,651 S**
(45) **Date of Patent:** **** Mar. 3, 2009**

(54) **INSERT FOR CONNECTION MODULE**

2003/0062191 A1 4/2003 Miller et al.
2005/0070147 A1 3/2005 Hung

(75) Inventors: **Brent David Allwood**, Buttaba (AU);
Jeffrey Allen Glen, Birchgrove (AU)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **ADC GmbH**, Berlin (DE)

DE 3200213 A1 10/1982
DE 202 18 374 U1 4/2004
DE 10 2004 037 991 A1 11/2005
EP 0 871 245 A2 10/1998
EP 1 039 580 A2 9/2000

(**) Term: **14 Years**

(21) Appl. No.: **29/262,771**

OTHER PUBLICATIONS

(22) Filed: **Jul. 10, 2006**

Ideal Industries, QuickJaw™ Insulation Displacement Connector, 1 page (Jun. 11, 2004).

(30) **Foreign Application Priority Data**

Ideal Industries, QuickJaw™ Wire Connector, 2 pages (black/white and color copies) (Jul. 28, 2003).

Jan. 11, 2006 (DE) 4 06 00 175

Ideal Industries, QuickJaw™ Wire Connector, 1 page (color copy) (Jan. 4, 2004).

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/133; D13/146**

(58) **Field of Classification Search** D13/133,
D13/146, 147, 154, 184, 199; 439/278, 607,
439/668, 669, 894

* cited by examiner

See application file for complete search history.

Primary Examiner—Daniel D Bui

Assistant Examiner—Thomas J Johannes

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS

The ornamental design for insert for connection module, as shown and described.

3,154,363 A 10/1964 Will
3,836,944 A 9/1974 Lawson
D236,250 S * 8/1975 Walton D8/396
3,985,416 A 10/1976 Dola et al.
D302,421 S * 7/1989 Ichitsubo D13/133
4,891,018 A 1/1990 Afflerbaugh et al.
4,981,443 A 1/1991 Suverison et al.
5,067,910 A 11/1991 Knox et al.
D379,969 S * 6/1997 Tan D13/147
5,735,699 A * 4/1998 Tan et al. 439/92
6,083,044 A * 7/2000 Wang et al. 439/567
6,139,352 A 10/2000 Daoud
6,179,653 B1 * 1/2001 Cheng et al. 439/541.5
6,208,233 B1 3/2001 Stein, Sr. et al.
6,213,812 B1 * 4/2001 Kan 439/607
D450,659 S * 11/2001 Hu et al. D13/147
D462,054 S * 8/2002 Ma et al. D13/133
D467,872 S * 12/2002 Yeh D13/133
D523,815 S * 6/2006 Lai D13/147
D556,137 S * 11/2007 Lin et al. D13/133

DESCRIPTION

FIG. 1 is a front elevational view of an insert for connection module in accordance with our invention thereof;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a front, top and right side perspective view of an insert for connection module.

The broken lines in FIG. 6 are included to illustrate unclaimed internal details and form no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG.3




FIG.1




FIG.2




FIG.6




FIG.4




FIG.5




FIG. 7

