

US00D587739S

(12) **United States Design Patent**
Raile

(10) **Patent No.:** **US D587,739 S**
(45) **Date of Patent:** **** Mar. 3, 2009**

(54) **EYEGLASSES**

(75) Inventor: **Bruce Raile**, Park City, UT (US)

(73) Assignee: **Sun Optics, inc.**, Salt Lake City, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/246,911**

(22) Filed: **May 19, 2006**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/207,865, filed on Jun. 17, 2004, now Pat. No. Des. 533,579.

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.** **D16/316**

(58) **Field of Classification Search** D16/101,
D16/300-342; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140, 153; 2/426-432, 447-449, 441,
2/434-437

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|----------------|-------|-----------|
| 2,354,772 | A * | 8/1944 | Prange | | 40/299.01 |
| 5,929,967 | A | 7/1999 | Conner | | |
| D423,555 | S | 4/2000 | Conner | | |
| 6,199,981 | B1 | 3/2001 | Chao | | |
| D444,805 | S | 7/2001 | Tiberghien | | |
| D464,982 | S | 10/2002 | Thixton et al. | | |
| D475,732 | S | 6/2003 | Conner | | |
| D479,552 | S | 9/2003 | Emanuele | | |
| D481,050 | S * | 10/2003 | Carr et al. | | D16/101 |
| D481,060 | S | 10/2003 | Egbert et al. | | |
| 6,655,800 | B2 | 12/2003 | Takeda et al. | | |
| 6,705,723 | B1 | 3/2004 | Lavie | | |
| 6,786,596 | B1 * | 9/2004 | Ayoub | | 351/159 |
| D505,866 | S | 6/2005 | Raile | | |
| D506,396 | S | 6/2005 | Raile | | |
| D506,681 | S | 6/2005 | Raile | | |
| D506,682 | S | 6/2005 | Raile | | |


| | | | |
|--------------|----|---------|-----------|
| D509,382 | S | 9/2005 | Raile |
| D510,530 | S | 10/2005 | Raile |
| D525,426 | S | 7/2006 | Raile |
| D525,427 | S | 7/2006 | Raile |
| D525,787 | S | 8/2006 | Raile |
| D525,788 | S | 8/2006 | Raile |
| D527,179 | S | 8/2006 | Raile |
| D527,180 | S | 8/2006 | Raile |
| D530,541 | S | 10/2006 | Raile |
| D530,940 | S | 10/2006 | Raile |
| D533,579 | S | 12/2006 | Raile |
| D533,736 | S | 12/2006 | Raile |
| D534,016 | S | 12/2006 | Raile |
| D536,261 | S | 2/2007 | Raile |
| D536,905 | S | 2/2007 | Raile |
| D538,067 | S | 3/2007 | Raile |
| D538,555 | S | 3/2007 | Raile |
| 7,188,739 | B1 | 3/2007 | Raile |
| 2002/0080325 | A1 | 6/2002 | Xiang |
| 2003/0025871 | A1 | 2/2003 | Masunaga |
| 2003/0071962 | A1 | 4/2003 | Nishihara |
| 2003/0133071 | A1 | 7/2003 | Ahn |
| 2004/0223114 | A1 | 11/2004 | Park |

OTHER PUBLICATIONS

- U.S. Appl. No. 29/234,978, filed Jul. 26, 2005, Raile.
- U.S. Appl. No. 29/234,977, filed Jul. 26, 2005, Raile.
- U.S. Appl. No. 29/246,908, filed May 19, 2006, Raile.
- U.S. Appl. No. 29/246,909, filed May 19, 2006, Raile.
- U.S. Appl. No. 29/248,658, filed Aug. 25, 2006, Raile.
- U.S. Appl. No. 29/248,659, filed Aug. 25, 2006, Raile.
- U.S. Appl. No. 29/249,568, filed Oct. 12, 2006, Raile.
- U.S. Appl. No. 29/250,249, filed Nov. 7, 2006, Raile.
- U.S. Appl. No. 29/275,011, filed Dec. 8, 2006, Raile.
- U.S. Appl. No. 11/627,882, filed Jan. 26, 2007, Raile.
- U.S. Appl. No. 29/279,329, filed Apr. 26, 2007, Raile.
- America Online Computer Eyewear, circa Apr. 2002, 1 page.
- I. Line Precision Reading Eyewear, circa Apr. 2002, 1 page.
- Insight Pocket Size Readers, circa Aug. 2002, 1 page.
- Transparent Eyeglass Case, Insight Eyeworks, circa 2002, 1 page.
- Bloomingtondale's catalog, p. 29, Mar. 10, 2003.
- Sunglass Hut, p. 11, 2001.

* cited by examiner

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Workman Nydegger



(57)

CLAIM

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 2 is a bottom perspective view of the eyeglasses as shown in FIG. 1;

FIG. 3 is a front elevational view of the eyeglasses as shown in FIG. 1;

FIG. 4 is a top plan view of the eyeglasses shown in FIG. 1;

FIG. 5 is a bottom plan view of the eyeglasses as shown in FIG. 1;

FIG. 6 is a right side elevational view of the eyeglasses as shown in FIG. 1, with the left side elevational view being a mirror image thereof; and

FIG. 7 is a rear elevational view of the eyeglasses as shown in FIG. 1.

FIG. 8 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 9 is a bottom perspective view of the eyeglasses as shown in FIG. 8;

FIG. 10 is a front elevational view of the eyeglasses as shown in FIG. 8;

FIG. 11 is a top plan view of the eyeglasses shown in FIG. 8;

FIG. 12 is a bottom plan view of the eyeglasses as shown in FIG. 8;

FIG. 13 is a right side elevational view of the eyeglasses as shown in FIG. 8, with the left side elevational view being a mirror image thereof; and

FIG. 14 is a rear elevational view of the eyeglasses as shown in FIG. 8.

FIG. 15 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 16 is a bottom perspective view of the eyeglasses as shown in FIG. 15;

FIG. 17 is a front elevational view of the eyeglasses as shown in FIG. 15;

FIG. 18 is a top plan view of the eyeglasses shown in FIG. 15;

FIG. 19 is a bottom plan view of the eyeglasses as shown in FIG. 15;

FIG. 20 is a right side elevational view of the eyeglasses as shown in FIG. 15, with the left side elevational view being a mirror image thereof; and

FIG. 21 is a rear elevational view of the eyeglasses as shown in FIG. 15.

FIG. 22 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 23 is a bottom perspective view of the eyeglasses as shown in FIG. 22;

FIG. 24 is a front elevational view of the eyeglasses as shown in FIG. 22;

FIG. 25 is a top plan view of the eyeglasses shown in FIG. 22;

FIG. 26 is a bottom plan view of the eyeglasses as shown in FIG. 22;

FIG. 27 is a right side elevational view of the eyeglasses as shown in FIG. 22, with the left side elevational view being a mirror image thereof; and

FIG. 28 is a rear elevational view of the eyeglasses as shown in FIG. 22.

FIG. 29 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 30 is a bottom perspective view of the eyeglasses as shown in FIG. 29;

FIG. 31 is a front elevational view of the eyeglasses as shown in FIG. 29;

FIG. 32 is a top plan view of the eyeglasses shown in FIG. 29;

FIG. 33 is a bottom plan view of the eyeglasses as shown in FIG. 29;

FIG. 34 is a right side elevational view of the eyeglasses as shown in FIG. 29, with the left side elevational view being a mirror image thereof; and

FIG. 35 is a rear elevational view of the eyeglasses as shown in FIG. 29.

FIG. 36 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 37 is a bottom perspective view of the eyeglasses as shown in FIG. 36;

FIG. 38 is a front elevational view of the eyeglasses as shown in FIG. 36;

FIG. 39 is a top plan view of the eyeglasses shown in FIG. 36;

FIG. 40 is a bottom plan view of the eyeglasses as shown in FIG. 36;

FIG. 41 is a right side elevational view of the eyeglasses as shown in FIG. 36, with the left side elevational view being a mirror image thereof; and

FIG. 42 is a rear elevational view of the eyeglasses as shown in FIG. 36.

FIG. 43 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 44 is a bottom perspective view of the eyeglasses as shown in FIG. 43;

FIG. 45 is a front elevational view of the eyeglasses as shown in FIG. 43;

FIG. 46 is a top plan view of the eyeglasses shown in FIG. 43;

FIG. 47 is a bottom plan view of the eyeglasses as shown in FIG. 43;

FIG. 48 is a right side elevational view of the eyeglasses as shown in FIG. 43, with the left side elevational view being a mirror image thereof; and

FIG. 49 is a rear elevational view of the eyeglasses as shown in FIG. 43.

FIG. 50 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 51 is a bottom perspective view of the eyeglasses as shown in FIG. 50;

FIG. 52 is a front elevational view of the eyeglasses as shown in FIG. 50;

FIG. **53** is a top plan view of the eyeglasses shown in FIG. **50**;
FIG. **54** is a bottom plan view of the eyeglasses as shown in
FIG. **50**;

FIG. **55** is a right side elevational view of the eyeglasses as
shown in FIG. **50**, with the left side elevational view being a
mirror image thereof; and,

FIG. **56** is a rear elevational view of the eyeglasses as shown
in FIG. **50**.

The depicted contrast in shading represents a contrast in
appearance via color, texture, material and/or luminance.

1 Claim, 32 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33



Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56