

US00D587739S

(12) **United States Design Patent**
Raile

(10) **Patent No.:** **US D587,739 S**
(45) **Date of Patent:** **** Mar. 3, 2009**

(54) **EYEGLASSES**

(75) Inventor: **Bruce Raile**, Park City, UT (US)

(73) Assignee: **Sun Optics, inc.**, Salt Lake City, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/246,911**

(22) Filed: **May 19, 2006**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/207,865, filed on Jun. 17, 2004, now Pat. No. Des. 533,579.

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.** **D16/316**

(58) **Field of Classification Search** D16/101,
D16/300-342; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140, 153; 2/426-432, 447-449, 441,
2/434-437

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,354,772	A *	8/1944	Prange	40/299.01
5,929,967	A	7/1999	Conner		
D423,555	S	4/2000	Conner		
6,199,981	B1	3/2001	Chao		
D444,805	S	7/2001	Tiberghien		
D464,982	S	10/2002	Thixton et al.		
D475,732	S	6/2003	Conner		
D479,552	S	9/2003	Emanuele		
D481,050	S *	10/2003	Carr et al.	D16/101
D481,060	S	10/2003	Egbert et al.		
6,655,800	B2	12/2003	Takeda et al.		
6,705,723	B1	3/2004	Lavie		
6,786,596	B1 *	9/2004	Ayoub	351/159
D505,866	S	6/2005	Raile		
D506,396	S	6/2005	Raile		
D506,681	S	6/2005	Raile		
D506,682	S	6/2005	Raile		


D509,382	S	9/2005	Raile
D510,530	S	10/2005	Raile
D525,426	S	7/2006	Raile
D525,427	S	7/2006	Raile
D525,787	S	8/2006	Raile
D525,788	S	8/2006	Raile
D527,179	S	8/2006	Raile
D527,180	S	8/2006	Raile
D530,541	S	10/2006	Raile
D530,940	S	10/2006	Raile
D533,579	S	12/2006	Raile
D533,736	S	12/2006	Raile
D534,016	S	12/2006	Raile
D536,261	S	2/2007	Raile
D536,905	S	2/2007	Raile
D538,067	S	3/2007	Raile
D538,555	S	3/2007	Raile
7,188,739	B1	3/2007	Raile
2002/0080325	A1	6/2002	Xiang
2003/0025871	A1	2/2003	Masunaga
2003/0071962	A1	4/2003	Nishihara
2003/0133071	A1	7/2003	Ahn
2004/0223114	A1	11/2004	Park

OTHER PUBLICATIONS

- U.S. Appl. No. 29/234,978, filed Jul. 26, 2005, Raile.
- U.S. Appl. No. 29/234,977, filed Jul. 26, 2005, Raile.
- U.S. Appl. No. 29/246,908, filed May 19, 2006, Raile.
- U.S. Appl. No. 29/246,909, filed May 19, 2006, Raile.
- U.S. Appl. No. 29/248,658, filed Aug. 25, 2006, Raile.
- U.S. Appl. No. 29/248,659, filed Aug. 25, 2006, Raile.
- U.S. Appl. No. 29/249,568, filed Oct. 12, 2006, Raile.
- U.S. Appl. No. 29/250,249, filed Nov. 7, 2006, Raile.
- U.S. Appl. No. 29/275,011, filed Dec. 8, 2006, Raile.
- U.S. Appl. No. 11/627,882, filed Jan. 26, 2007, Raile.
- U.S. Appl. No. 29/279,329, filed Apr. 26, 2007, Raile.
- America Online Computer Eyewear, circa Apr. 2002, 1 page.
- I. Line Precision Reading Eyewear, circa Apr. 2002, 1 page.
- Insight Pocket Size Readers, circa Aug. 2002, 1 page.
- Transparent Eyeglass Case, Insight Eyeworks, circa 2002, 1 page.
- Bloomingtondale's catalog, p. 29, Mar. 10, 2003.
- Sunglass Hut, p. 11, 2001.

* cited by examiner

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Workman Nydegger



(57)

CLAIM

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 2 is a bottom perspective view of the eyeglasses as shown in FIG. 1;

FIG. 3 is a front elevational view of the eyeglasses as shown in FIG. 1;

FIG. 4 is a top plan view of the eyeglasses shown in FIG. 1;

FIG. 5 is a bottom plan view of the eyeglasses as shown in FIG. 1;

FIG. 6 is a right side elevational view of the eyeglasses as shown in FIG. 1, with the left side elevational view being a mirror image thereof; and

FIG. 7 is a rear elevational view of the eyeglasses as shown in FIG. 1.

FIG. 8 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 9 is a bottom perspective view of the eyeglasses as shown in FIG. 8;

FIG. 10 is a front elevational view of the eyeglasses as shown in FIG. 8;

FIG. 11 is a top plan view of the eyeglasses shown in FIG. 8;

FIG. 12 is a bottom plan view of the eyeglasses as shown in FIG. 8;

FIG. 13 is a right side elevational view of the eyeglasses as shown in FIG. 8, with the left side elevational view being a mirror image thereof; and

FIG. 14 is a rear elevational view of the eyeglasses as shown in FIG. 8.

FIG. 15 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 16 is a bottom perspective view of the eyeglasses as shown in FIG. 15;

FIG. 17 is a front elevational view of the eyeglasses as shown in FIG. 15;

FIG. 18 is a top plan view of the eyeglasses shown in FIG. 15;

FIG. 19 is a bottom plan view of the eyeglasses as shown in FIG. 15;

FIG. 20 is a right side elevational view of the eyeglasses as shown in FIG. 15, with the left side elevational view being a mirror image thereof; and

FIG. 21 is a rear elevational view of the eyeglasses as shown in FIG. 15.

FIG. 22 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 23 is a bottom perspective view of the eyeglasses as shown in FIG. 22;

FIG. 24 is a front elevational view of the eyeglasses as shown in FIG. 22;

FIG. 25 is a top plan view of the eyeglasses shown in FIG. 22;

FIG. 26 is a bottom plan view of the eyeglasses as shown in FIG. 22;

FIG. 27 is a right side elevational view of the eyeglasses as shown in FIG. 22, with the left side elevational view being a mirror image thereof; and

FIG. 28 is a rear elevational view of the eyeglasses as shown in FIG. 22.

FIG. 29 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 30 is a bottom perspective view of the eyeglasses as shown in FIG. 29;

FIG. 31 is a front elevational view of the eyeglasses as shown in FIG. 29;

FIG. 32 is a top plan view of the eyeglasses shown in FIG. 29;

FIG. 33 is a bottom plan view of the eyeglasses as shown in FIG. 29;

FIG. 34 is a right side elevational view of the eyeglasses as shown in FIG. 29, with the left side elevational view being a mirror image thereof; and

FIG. 35 is a rear elevational view of the eyeglasses as shown in FIG. 29.

FIG. 36 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 37 is a bottom perspective view of the eyeglasses as shown in FIG. 36;

FIG. 38 is a front elevational view of the eyeglasses as shown in FIG. 36;

FIG. 39 is a top plan view of the eyeglasses shown in FIG. 36;

FIG. 40 is a bottom plan view of the eyeglasses as shown in FIG. 36;

FIG. 41 is a right side elevational view of the eyeglasses as shown in FIG. 36, with the left side elevational view being a mirror image thereof; and

FIG. 42 is a rear elevational view of the eyeglasses as shown in FIG. 36.

FIG. 43 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 44 is a bottom perspective view of the eyeglasses as shown in FIG. 43;

FIG. 45 is a front elevational view of the eyeglasses as shown in FIG. 43;

FIG. 46 is a top plan view of the eyeglasses shown in FIG. 43;

FIG. 47 is a bottom plan view of the eyeglasses as shown in FIG. 43;

FIG. 48 is a right side elevational view of the eyeglasses as shown in FIG. 43, with the left side elevational view being a mirror image thereof; and

FIG. 49 is a rear elevational view of the eyeglasses as shown in FIG. 43.

FIG. 50 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 51 is a bottom perspective view of the eyeglasses as shown in FIG. 50;

FIG. 52 is a front elevational view of the eyeglasses as shown in FIG. 50;

FIG. **53** is a top plan view of the eyeglasses shown in FIG. **50**;
FIG. **54** is a bottom plan view of the eyeglasses as shown in
FIG. **50**;

FIG. **55** is a right side elevational view of the eyeglasses as
shown in FIG. **50**, with the left side elevational view being a
mirror image thereof; and,

FIG. **56** is a rear elevational view of the eyeglasses as shown
in FIG. **50**.

The depicted contrast in shading represents a contrast in
appearance via color, texture, material and/or luminance.

1 Claim, 32 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56