



US00D588067S

(12) **United States Design Patent**  
**Seropian**

(10) **Patent No.:** **US D588,067 S**  
(45) **Date of Patent:** **\*\* Mar. 10, 2009**

(54) **ELECTRICAL RECEPTACLE MOUNTING BRACKET**

5,288,041 A 2/1994 Webb  
5,965,844 A \* 10/1999 Lippa ..... 220/3.3  
D462,939 S \* 9/2002 Dinh ..... D13/156  
6,858,802 B2 2/2005 Hagarty et al.  
6,878,878 B2 4/2005 Westlake  
D528,513 S \* 9/2006 Grendahl ..... D13/156

(76) Inventor: **Brett Seropian**, 2718 Canyon Village Cir., San Ramon, CA (US) 94583

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/306,175**

*Primary Examiner*—Brian N Vinson  
(74) *Attorney, Agent, or Firm*—Kyle Fletcher

(22) Filed: **Apr. 3, 2008**

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/152**

(58) **Field of Classification Search** ..... D13/152,  
D13/154, 156; 174/66, 67; 220/3.3, 3.4,  
220/3.6, 3.9; 439/536, 537

See application file for complete search history.

(57) **CLAIM**

The ornamental design for the electrical receptacle mounting bracket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the device.

FIG. 2 is a left side view of the device.

FIG. 3 is a right side view of the device.

FIG. 4 is a top view of the device.

FIG. 5 is a bottom view of the device; and,


FIG. 6 is an isometric view of the device.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,206,431 A 11/1916 Graybill  
4,135,337 A \* 1/1979 Medlin ..... 220/3.3  
4,399,922 A \* 8/1983 Horsley ..... 220/3.6  
4,603,789 A 8/1986 Medlin, Sr.  
5,025,944 A \* 6/1991 Rodick ..... 220/3.3  
5,263,676 A \* 11/1993 Medlin et al. .... 220/3.6

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6